

GEN 3 SERVICES

GEN 3.1 AERONAUTICAL INFORMATION SERVICES

1. Responsible service

The AIS, which forms part of skyguide, ensures the flow of information necessary for the safety, regularity and efficiency of international and national air navigation within the area of its responsibility as indicated under GEN 3.1.2. It consists of AIS headquarters and a NOF.

AIS Headquarters:

Post: skyguide
swiss air navigation services ltd
AIP Services
P.O.Box 23
CH-8602 Wangen bei Dübendorf
Phone: +41 (0) 43 931 61 68

Email: aip@skyguide.ch
AFS: LSSAYOYX
URL: <http://www.skyguide.ch>
OPR HR: office HR

International NOTAM Office:

Post: International NOTAM Office
skyguide AIS
P.O.Box 23
CH-8602 Wangen bei Dübendorf
Phone: +41 (0) 43 931 61 96

AFS: LSSNYNYX
Email: nof.ch@skyguide.ch

AIPs are issued by the **AIP Service** of skyguide on behalf of FOCA in compliance with the provisions set forth:

- in the ONA Ordinance article 138;
- in the Annexes 4 and 15 to the Convention on International Civil Aviation and related ICAO Documents. Differences to these Annexes and ICAO documents are listed in [GEN 1.7](#)

2. Area of responsibility

The AIS area of responsibility encompasses the Swiss territory and the Principality of Liechtenstein i.e. FIR/UIR Switzerland. The Swiss AIS functions in compliance with provisions of an Ordinance of the DETEC.

3. Aeronautical publications

3.1 eAIP and related amendment service

The *Swiss Aeronautical Information Publication - AIP Switzerland* contains **information** of a lasting character essential to the safety of air navigation. Notably, regulatory material on air routes, airspace and APCH and DEP procedures is published in the AIP Switzerland. The pilot-in-command is responsible for the operation of ACFT in compliance with, among others, the **regulations** contained in the AIP and VFR Manual.

Changes to this manual are issued monthly by means of **AMDTs** and distributed electronically on "skybriefing". The AMDT is issued with a **check list** of the contents of the manual.

The information originates from official sources or from AD operators and is transcribed with utmost care; nevertheless the AIP Service cannot fully guarantee the absence of error.

3.2 AIP Supplements

TEMPO changes of long DUR (three months and longer) and information of short DUR which consists of extensive text and/or graphics, supplementing the PERM information contained in the AIP, are published as AIP SUPs (AIP SUP). Operationally significant TEMPO changes to the AIP are published in accordance with the AIRAC system and its established effective dates and are identified clearly by the acronym AIRAC AIP SUP.

3.3 Aeronautical Information Circular (AIC)

For the following information national and international AIC are provided:

- Administrative information;
- Domains of information unsuitable for NOTAM or AIP SUP;
- Explanations of complex changes, e.g. WIP.

AIC will be published in three series:

- Series A: International series in En

URL: <http://www.aviation.admin.ch>

- Series B: National series

URL: <http://www.aviation.admin.ch>

- Series C: AIC of a technical nature for services

AIC is part of eAIP and will be distributed additionally via "skybriefing".

3.4 NOTAM

3.4.1 General

NOTAM contain information concerning the establishment, condition or change in any aeronautical facility, service, procedure or hazard, the timely knowledge of which is essential for personnel concerned with FLT operations.

Swiss NOTAM are divided into series A, B and W. They are published in En using ICAO abbreviations. A checklist of NOTAM is published **for all series** on the first **day** of each month.

3.4.2 NOTAM series

Series A

NOTAM affecting Zurich and Genève ADs. Exception: Information for HEL and VFR traffic is published in series B.

NOTAM affecting ENR FLTs concerning:

- organisation, structure and changes of airspace
- ENR radio navigation aids
- ENR communication and radar facilities
- regulations, procedures

Other information of general interest.

Distribution: International (worldwide).

Series B

NOTAM affecting all other CIV ADs not published in series A.

Information related to VFR traffic.

MIL ADs for information related to CTR/TMA and GNSS.

ENR obstacles.

DOM ATS routes.

Distribution: International (Europe).

Series W

Navigation WRNGs and airspace reservations.

Distribution: International (Europe).

The NOTAM are AVBL on the website <http://www.skybriefing.com>

Access is provided by way of a personal user account.

3.5 Checklists and summaries

NIL

3.6 Skybriefing

Skybriefing is the official FLT briefing solution and publication platform of the AIP Switzerland provided by skyguide on behalf of FOCA <http://www.skybriefing.com>

3.7 Sale of Publications

The annual invoice will be sent out six weeks before the subscription renewal date. If it is not paid, a reminder will be issued after two months. Delivery of AMDTs will be stopped automatically after three months. The subscription will be terminated and the customer blocked after four months.

Late payment will be accepted up to six months after the date of the invoice. Re-activation after that can only be effected by taking out a new subscription at CHF 151.00: Manual CMPL including a one-year subscription. Pro-rata invoices are not issued nor are repayments made if the subscription is terminated before it expires.

Post:	AIP-Versand P.O.Box CH-3052 Zollikofen	Phone:	+41 (0) 31 910 32 56 0630 - 1100 (0530 - 1000)
		Fax:	+41 (0) 31 910 33 35
		Email:	aipversand@skyguide.ch

Designation and reference		Type	Code	Rate CHF incl. VAT
1	Subscription for one year			
1.1	Paper initial purchase VFR Manual	VFR (148 x 210)	KVE	151.50
2	Yearly subscription			
2.1	VFR Manual Paper	VFR	KV0	106.50
2.2	electronic AIP on skybriefing	IFR	eaip	92.15
2.3	electronic VFR Manual on skybriefing	VFR	evfr	53.10
2.4	AIC series A (distribution abroad)		K03	66.00
	AIC series B		K05	66.00
3	Material			
3.1	binder and contents	VFR Manual	EV	108.50
3.2	contents only	VFR Manual	IV	75.50
3.3	binder with indices	VFR Manual	OVR	18.00
3.4	binder	VFR Manual	OVO	11.00
3.5	indices	VFR Manual	RV	8.50
3.6	chart pocket	VFR Manual	HU	5.00
4	charts			
	REF GEN-3.2 , REF VFR Manual, VFR MAP 2, § 1			

6	Subscription: AIP / VFR Manual / AIC								
	Code	AIP			VFR Manual		AIC		
		AMDT	AIRAC	SUP	AMDT	SUP	A	B	C
	GB1	x	x	x	x	x	x	x	x
	GI3	x	x	x			x		
	KVE				x	x			
	GV5				x	x		x	
	K03						x		
	K05							x	

4. AIRAC system

4.1 AIRAC predetermined dates

In order to control and regulate the operationally significant changes requiring amendments to charts, route manuals etc., such changes, whenever possible, will be issued on predetermined dates according to the AIRAC System. This type of information will be published as an AIRAC AIP AMDT or an AIRAC AIP SUP. If an AIRAC AMDT or SUP cannot be produced due to lack of time, NOTAM clearly marked AIRAC will be issued. Such NOTAM will immediately be followed by an AMDT or SUP. The table below indicates AIRAC effective dates for the coming years.

(Ensuing dates listed in AIS Manual, ICAO Doc 8126, Chapter 2.6.4, Table 2-1). Where no information has been submitted to AIS for publication on the selected date, a NIL notification will be originated.

Schedule of AIRAC effective dates 2020		Schedule of AIRAC effective dates 2021	
Publication dates	Effective dates	Publication dates	Effective dates
21 NOV 2019	02 JAN 2020	17 DEC 2020	28 JAN 2021
19 DEC 2019	30 JAN 2020	14 JAN 2021	25 FEB 2021
16 JAN 2020	27 FEB 2020	11 FEB 2021	25 MAR 2021
13 FEB 2020	26 MAR 2020	11 MAR 2021	22 APR 2021
12 MAR 2020	23 APR 2020	08 APR 2021	20 MAY 2021
09 APR 2020	21 MAY 2020	06 MAY 2021	17 JUN 2021
07 MAY 2020	18 JUN 2020	03 JUN 2021	15 JUL 2021
04 JUN 2020	16 JUL 2020	01 JUL 2021	12 AUG 2021
02 JUL 2020	13 AUG 2020	29 JUL 2021	09 SEP 2021
30 JUL 2020	10 SEP 2020	26 AUG 2021	07 OCT 2021
27 AUG 2020	08 OCT 2020	23 SEP 2021	04 NOV 2021
24 SEP 2020	05 NOV 2020	21 OCT 2021	02 DEC 2021
22 OCT 2020	03 DEC 2020	18 NOV 2021	30 DEC 2021
19 NOV 2020	31 DEC 2020		

Schedule of AIRAC effective dates 2022		Schedule of AIRAC effective dates 2023	
Publication dates	Effective dates	Publication dates	Effective dates
16 DEC 2021	27 JAN 2022	15 DEC 2022	26 JAN 2023
13 JAN 2022	24 FEB 2022	12 JAN 2023	23 FEB 2023
10 FEB 2022	24 MAR 2022	09 FEB 2023	23 MAR 2023
10 MAR 2022	21 APR 2022	09 MAR 2023	20 APR 2023
07 APR 2022	19 MAY 2022	06 APR 2023	18 MAY 2023
05 MAY 2022	16 JUN 2022	04 MAY 2023	15 JUN 2023
02 JUN 2022	14 JUL 2022	01 JUN 2023	13 JUL 2023
30 JUN 2022	11 AUG 2022	29 JUN 2023	10 AUG 2023
28 JUL 2022	08 SEP 2022	27 JUL 2023	07 SEP 2023
25 AUG 2022	06 OCT 2022	24 AUG 2023	05 OCT 2023
22 SEP 2022	03 NOV 2022	21 SEP 2023	02 NOV 2023
20 OCT 2022	01 DEC 2022	19 OCT 2023	30 NOV 2023
17 NOV 2022	29 DEC 2022	16 NOV 2023	28 DEC 2023

5. Pre-flight information services at aerodromes/heliports

AIS briefing units				
Postal address	TEL	FAX	TELEX/AFTN	RMK/Services
1	2	3	4	5
AP Zurich: skyguide AIS CH-8602 Wangen bei Dübendorf	+41 (0) 43 931 61 61		LSZHYOYX	AIS
	+41 (0) 43 931 62 05		LSZHYPZX	ATS Reporting Office ARO
AP Genève: AIS/Service Traffic CH-1215 Geneva 15	+41 (0) 22 717 71 27	+41 (0) 22 717 71 31	415 707 com ch	AIS/OPS
			LSGGYOYX	AIS
			LSGGZPZX	ATS Reporting Office ARO
AP Lugano: Servizio Traffico AIS Via Aeroporto CH-6982 Agno	+41 (0) 91 610 11 16	+41 (0) 91 610 16 20	---	AIS

5.1 Zurich - General Aviation Service Centre (GASC)

The GASC AIS is unattended. Operational HR: 0430 - 2130 (0330 - 2030). The applicable procedure for pilots to obtain the information is placarded.

AVBL are:

- tailored AD and ENR information;
- printer;
- flight plan forms.

5.2 Zurich - Terminal A, E and between Stands C and Gate Gourmet Building

Terminal A (BLDG A1, floor 0, room 0-156), Terminal E (Dock E, floor 0, room M1 0-967) and container between C-stands and Gate Gourmet BLDG (BLDG O65, room 0-110) are unattended. Operational HR: **H24**.

AVBL are:

- tailored AD and ENR information;
- printer;
- phone;
- flight plan forms.

5.3 Daily Airspace Bulletin Switzerland (DABS)

The Daily Airspace Bulletin DABS is an integral part of Switzerland's official aeronautical publication and, with the help of the NOTAM publications, illustrates in graphical form the current status of the airspace. It also provides added assistance for pilots preparing VFR flights.

- Activation of PRD areas and TEMPO TMA
- TEMPO TMA/CTR activations
- Military firing above 250m/AGL

The basis is provided by a geographical map of Switzerland (scale 1:1,250,000 in A4 format) showing aerodromes and a simplified illustration of the airspaces (CTR/TMA). Flight restriction areas (R-Areas), danger zones (D-Areas), no-fly zones (P-Areas) and airspace activations for TEMPO TMA are illustrated on the DABS chart. Other series W, (e.g. PJE, GLD, Air Displays) NOTAM and NOTAM that affect all or parts of Swiss territory (e.g. MIL night flights) are only indicated in the text section insofar as an icon exists with the corresponding activity on the ICAO chart. If there is no icon on the ICAO chart BAZL (Federal Office of Civil Aviation) decides depending upon the situation.

To prevent airspace violations no additional and planned airspace restrictions will be approved during the current day. The only exception is "imminent danger" (unforeseen and urgent airspace closures as the result of an accident or catastrophe). Regardless of the time a publication of this nature can trigger a new DABS publication.

The DABS incorporates NOTAM information at the time of its publication. Airspace restrictions, which are no longer required (reopened ahead of time) or have expired at the time of updating, will not be indicated in the ensuing publication. In between the fixed publication times NOTAM will be updated without delay. This could lead to discrepancies between the NOTAM and DABS information.

The latest information can be obtained from:

- Flight Information Control (FIC) Geneva 126.350 MHz;
- Flight Information Control (FIC) Zurich 124.700 MHz;
- KOSIF (phone number +41 44 813 31 10).

DABS is published by AIM Services and can be accessed by visiting www.skybriefing.com.

DABS Creation (first version)

Publication takes place daily at 16:00 hours (local time) and shows all airspace restrictions applying to the following day. No additional airspace restrictions will be published after this time. (Version 1)

DABS Updating

A new publication, which is valid immediately upon release, will be made available at 9:00 / 13:00 / 16:00 (local time).

Night flights undertaken by the Swiss Air Force will be listed on the DABS by 16:00, at the latest, for the current day.

6. Electronic Terrain and Obstacle Data

Under the current terms of use from swisstopo skyguide uses the official source from the swiss government:

URL: <https://www.swisstopo.admin.ch/en/home/meta/conditions/geodata/ogd.html>

- Federal Office of Topography swisstopo

6.1 Electronic Terrain Data

Electronic terrain data is provided by:

Post: Swisstopo, Federal Office of Topography
Seftigenstrasse 264,
P.O. Box
CH - 3084 Wabern

Phone: +41 (0) 58 469 01 11

Fax: +41 (0) 58 469 04 59

Hours of Service: Mon-Fri 0845-1245, 1420-1800 (0945-1345, 1520-1900)

Email: info@swisstopo.ch

URL: <http://www.swisstopo.admin.ch>

Area 1:

Swisstopo "DHM25"

The digital elevation model DHM25 is a set of data representing the 3D form of the earth's surface not including vegetation and buildings. It is based on the Swiss National Map 1:25 000. DHM25 is available with 25m. An enlarged grid of 200 m is also available.

It is not compliant with all requirements of ICAO Annex 15, Tables A8-1 and A8-3 for Area 1 electronic terrain data. Deviations exist with regards to the vertical and horizontal reference system, and the provision of all required electronic terrain data attributes.

Electronic terrain data users shall therefore carefully assess whether the product is adequate for their intended use.

A data product specification may be obtained at

URL: https://shop.swisstopo.admin.ch/en/products/height_models/dhm25

Area 2, 3 and 4:

Swisstopo "swissALTI3D"

swissALTI3D is a very precise digital elevation model of Switzerland. It models the surface without vegetation and buildings. A yearly update is provided, which ensures a full update in a cycle of 6 years. The data can be delivered with a post spacing of 2 m, 5 m or 10 m.

swissALTI3D is not compliant with all requirements of ICAO Annex 15, Tables A8-1 and A8-3 for Area 1 electronic terrain data. Deviations exist with regards to the vertical and horizontal reference system, the confidence interval (1 Sigma (68%) instead of 90%) and the provision of all required terrain attributes.

Electronic terrain data users shall therefore carefully assess whether the product is adequate for their intended use.

A data product specification may be obtained at

URL: https://shop.swisstopo.admin.ch/en/products/height_models/alti3D

6.2 Electronic Obstacle Data

Area 1:

Electronic obstacle data for Area 1 is provided by:

Post: Federal Office of Civil Aviation
CH-3003 Berne

Phone: +41 (0) 58 465 80 39/40

Fax: +41 (0) 58 465 80 32

Email: foca.aim@bazl.admin.ch

The obstacle data set can be downloaded from the following FOCA Website:

URL: <http://www.bazl.admin.ch/wegom>

Downloads: Air navigation obstacles data (download KMZ)

Description:

URL: <http://www.bazl.admin.ch/wegom>

The data set contains all reported obstacles higher than 60 m AGL within settlement areas and higher than 25 m outside of settlement areas. Obstacles in the proximity of airports are not included in the data set.

The area 1 obstacle data set is not compliant with all specifications of ICAO Annex 15, Tables A8-2 and A8-4 for Area 1.

Deviations exist with regards to the vertical and horizontal reference system, and the provision of all required obstacle attributes.

Electronic obstacle data users shall therefore carefully assess whether the product is adequate for their intended use.

Area 2, 3 and 4:

Electronic obstacle data for area 2, 3 and 4 is currently not available.

7. Post Flight Information

General information and observations (e.g. the presence of birds or the state and operation of air navigation facilities) shall be forwarded to AIM Services Zurich to:

Email: ais.zrh@skyguide.ch

THIS PAGE INTENTIONALLY LEFT BLANK