

ENR 3.3 AREA NAVIGATION (RNAV) ROUTES**1. Index of ENR 3.3 RNAV Route Tables**

Route Designator	Page	Route Designator	Page	Route Designator	Page
G434	ENR 3.3 - 3	UZ65	ENR 3.3 - 52		
J41	ENR 3.3 - 4	UZ67	ENR 3.3 - 53		
L15	ENR 3.3 - 5	UZ139	ENR 3.3 - 54		
L613	ENR 3.3 - 6	UZ613	ENR 3.3 - 55		
L856	ENR 3.3 - 7	UZ651	ENR 3.3 - 56		
L995	ENR 3.3 - 8	UZ662	ENR 3.3 - 57		
M858	ENR 3.3 - 9	UZ669	ENR 3.3 - 58		
N491	ENR 3.3 - 10	UZ670	ENR 3.3 - 59		
N850	ENR 3.3 - 11	UZ909	ENR 3.3 - 60		
N851	ENR 3.3 - 12	Y3	ENR 3.3 - 61		
N869	ENR 3.3 - 13	Y5	ENR 3.3 - 62		
N871	ENR 3.3 - 14	Y52	ENR 3.3 - 63		
Q341	ENR 3.3 - 15	Y58	ENR 3.3 - 64		
T45	ENR 3.3 - 16	Y100	ENR 3.3 - 65		
T50	ENR 3.3 - 17	Y164	ENR 3.3 - 66		
T51	ENR 3.3 - 18	Y170	ENR 3.3 - 67		
T52	ENR 3.3 - 19	Z1	ENR 3.3 - 68		
T53	ENR 3.3 - 20	Z2	ENR 3.3 - 69		
T103	ENR 3.3 - 21	Z6	ENR 3.3 - 70		
T125	ENR 3.3 - 22	Z50	ENR 3.3 - 71		
T163	ENR 3.3 - 23	Z57	ENR 3.3 - 72		
T544	ENR 3.3 - 24	Z58	ENR 3.3 - 73		
T625	ENR 3.3 - 25	Z59	ENR 3.3 - 74		
T626	ENR 3.3 - 26	Z60	ENR 3.3 - 75		
T627	ENR 3.3 - 27	Z61	ENR 3.3 - 76		
T718	ENR 3.3 - 29	Z62	ENR 3.3 - 77		
T734	ENR 3.3 - 29	Z63	ENR 3.3 - 78		
UH10	ENR 3.3 - 30	Z64	ENR 3.3 - 79		
UL50	ENR 3.3 - 31	Z65	ENR 3.3 - 80		
UL153	ENR 3.3 - 32	Z67	ENR 3.3 - 81		
UL612	ENR 3.3 - 33	Z69	ENR 3.3 - 82		
UL613	ENR 3.3 - 34	Z83	ENR 3.3 - 83		
UL615	ENR 3.3 - 35	Z119	ENR 3.3 - 84		
UL856	ENR 3.3 - 36	Z138	ENR 3.3 - 85		
UM135	ENR 3.3 - 37	Z141	ENR 3.3 - 86		
UM729	ENR 3.3 - 38	Z142	ENR 3.3 - 87		
UM730	ENR 3.3 - 39	Z143	ENR 3.3 - 88		
UM872	ENR 3.3 - 40	Z144	ENR 3.3 - 89		
UM975	ENR 3.3 - 41	Z162	ENR 3.3 - 90		
UM982	ENR 3.3 - 42	Z163	ENR 3.3 - 91		
UN176	ENR 3.3 - 43	Z170	ENR 3.3 - 92		
UN853	ENR 3.3 - 44	Z408	ENR 3.3 - 93		
UN869	ENR 3.3 - 45	Z424	ENR 3.3 - 94		
UN871	ENR 3.3 - 46	Z601	ENR 3.3 - 95		
UP131	ENR 3.3 - 47	Z651	ENR 3.3 - 96		
UT10	ENR 3.3 - 48	Z652	ENR 3.3 - 97		
UT45	ENR 3.3 - 49	Z653	ENR 3.3 - 98		
UT423	ENR 3.3 - 50	Z669	ENR 3.3 - 99		
UY170	ENR 3.3 - 51	Z671	ENR 3.3 - 100		

THIS PAGE INTENTIONALLY LEFT BLANK

2. RNAV ATS Routes

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
G434																	
△ LASUN			47 24 51 N 007 32 15 E														
	268°	16	FL 195 FL 95	FL 100		Even		ACC Zurich {E,C}									
△ LUMEL			47 24 26 N 007 09 14 E														
	268°	10	FL 195 FL 95	FL 100		Even		ACC Zurich {E, C}									
△ ARNOT			47 24 08 N 006 55 12 E														

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
J41											
△ Passeiry DVOR/ DME (PAS)		46 09 49 N 006 00 00 E									
	144°	20	FL 195 FL 115	FL 120		Odd		ACC Geneva REF: AIP France {C}			
▲ ESAPI		45 53 24 N 006 17 25 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
L15								
△ BEGAR		47 54 30 N 007 35 00 E						
	135°	53.8	FL 660 FL 245			Odd		ACC Zurich {C}
△ RIPUS		47 15 37 N 008 30 00 E						

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
L613																	
△ SUXAN			46 33 44 N 010 28 45 E														
	317° 137°	5.7	FL 195 15000 ft	16000 ft		Even	Odd	ACC Zurich {C} (2)									
△ VALAV			46 37 58 N 010 23 10 E														
	328° 148°	10.3	FL 195 15000 ft	16000 ft		Even	Odd	ACC Zurich {C} (2)									
△ RONAG			46 46 46 N 010 15 32 E														
△ ELMUR			47 09 24 N 008 54 27 E														
	290°	8	FL 195 9000 ft	9500 ft		Even		ACC Zurich {C}									
△ MANEG			47 12 15 N 008 43 20 E														
	290°	10	FL 195 9000 ft	9500 ft		Even		ACC Zurich {C}									
△ RIPUS			47 15 37 N 008 30 00 E														
	110° 290°	9	FL 195 9000 ft	9500 ft		Even	Odd	ACC Zurich {C}									
△ DITON			47 18 08 N 008 20 00 E														
	110° 290°	29	FL 195 6500 ft	7000 ft		Even	Odd	ACC Zurich {C}									
△ Hochwald DME (HOC)			47 28 00 N 007 39 56 E														
SUXAN - RONAG: CDR 1 H24 ELMUR - MANEG: CDR 1 H24 (2) Class D within FIR MILANO																	

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
L856								
△ AKABI (FIR BDRY)		47 43 01 N 009 14 00 E						
	265°	5.1	FL 660 7500 ft	FL 80		Even		ACC Zurich {C, E}
△ ROMIR		47 42 47 N 009 06 28 E						
	265°	27.2	FL 660 FL 135	FL 140		Even		ACC Zurich {C}
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E						
	245° 065°	34.1	FL 660 5500 ft	6000 ft		Even	Odd	ACC Zurich {C, E}
△ Hochwald DME (HOC)		47 28 00 N 007 39 56 E						
From HOC to TRA northeastbound only available below FL195								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
L995																	
△ PEPAG			45 59 02 N 009 04 17 E														
	323°	13.5							ACC Milan REF: AIP Italy								
△ CANNE			46 10 00 N 008 52 52 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
M858								
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	167° 347°	14.5	FL165 7500 ft	8000 ft		Odd	Even	ACC Zurich {C}
△ RISLI	47 27 11 N 008 30 27 E							
	167° 347°	11.3	FL165 7500 ft	8000 ft		Odd	Even	ACC Zurich {C}
△ BARIG	47 16 07 N 008 33 40 E							
	167° 347°	2.0	FL165 8500 ft	9000 ft		Odd	Even	ACC Zurich {C}
△ ASGED	47 14 09 N 008 34 14 E							
	167° 347°	7.2	FL165 8500 ft	9000 ft		Odd	Even	ACC Zurich {C}
△ AGERI	47 07 02 N 008 36 18 E							
	167° 347°	7.0	FL165 8500 ft	9000 ft		Odd	Even	ACC Zurich {C}
△ URNAS	47 00 08 N 008 38 18 E							
	167° 347°	25.5	FL165 13500 ft	14000 ft		Odd	Even	ACC Zurich {C}
△ LUKOM	46 35 06 N 008 45 31 E							
	166° 347°	25.6	FL165 13500 ft	14000 ft		Odd	Even	ACC Zurich {C}
△ CANNE	46 10 00 N 008 52 52 E							
								REF: AIP Italy
△ Saronno VOR/ DME (SRN)	45 38 46 N 009 01 18 E							

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
N491								
△ AMRUP 47 46 45 N 008 04 37 E								
	109°	15.5	FL 660 7500 ft	8000 ft		Odd		ACC Zurich REF: AIP Germany {C, E}
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	111°	16.5	FL 660 8500 ft	9000 ft		Odd		ACC Zurich {C}
△ Zurich East VOR/ DME (ZUE) 47 35 32 N 008 49 04 E								
	123°	19.0	FL 660 8500 ft	9000 ft		Odd		ACC Zurich {C}
△ DEGES 47 24 45 N 009 12 07 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
N850								
△ TITIX 47 51 30 N 008 23 48 E								
								REF: AIP Germany
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	174°	25.9	FL 660 9000 ft	14000 ft		Odd		ACC Zurich {C}
△ RIPUS 47 15 37 N 008 30 00 E								
	174°	13	FL 660 9000 ft	14000 ft		Odd		ACC Zurich {C}
△ GERSA 47 02 22 N 008 31 56 E								
	174°	26.1	FL 660 13000 ft	14000 ft		Odd		ACC Zurich {C}
△ SOSON 46 36 24 N 008 35 39 E								
	174°	10	FL 660 13000 ft	14000 ft		Odd		ACC Zurich {C}
△ DEGAD 46 26 10 N 008 37 06 E								
	174°	19	FL 660 13000 ft	14000 ft		Odd		ACC Zurich {C}
FIR BDRY 46 06 41 N 008 39 50 E								
	174°	1	FL 660 13000 ft	14000 ft		Odd		ACC Milan
△ ODINA 46 06 16 N 008 39 54 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
N851								
△ PEPAG 45 59 02 N 009 04 17 E								
								REF: AIP Italy
△ ABESI 46 09 35 N 009 02 34 E								
	354°	15.1	FL 660 13000 ft	14000 ft		Even		ACC Zurich {C}
△ UTAVO 46 24 38 N 009 00 33 E								
	354°	11.7	FL 660 13000 ft	14000 ft		Even		ACC Zurich {C}
△ PIXOS 46 36 19 N 008 58 59 E								
	354°	17.1	FL 660 13000 ft	14000 ft		Even		ACC Zurich {C}
△ SOPER 46 53 22 N 008 56 40 E								
	354°	16	FL 660 13000 ft	14000 ft		Even		ACC Zurich {C}
△ ELMUR 47 09 24 N 008 54 27 E								
	354°	8	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C}
△ ROLSA 47 17 23 N 008 53 21 E								
	018°	9.6	FL 660 8500 ft	9000 ft		Even		ACC Zurich {C}
△ KUDIS 47 26 28 N 008 58 01 E								
	018° 198°	17.3	FL 660 8500 ft	9000 ft		Even	Odd	ACC Zurich {C}
△ ROMIR 47 42 47 N 009 06 28 E								
	005° 185°	4.6	FL 660 9000 ft	9500 ft		Even	Odd	ACC Zurich {C}
△ VEDOK (FIR BDRY) 47 47 24 N 009 07 14 E								
ABESI - KUDIS: CDR 1 H24 By ATC: Alternative route via Z651 and Z138 From VEDOK to KUDIS southbound only available below FL 195								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
N869								
△ RINLI (FIR BDRY) 47 37 22 N 007 52 51 E								
	209°	22.0	FL 660 FL 105	FL 110		Odd		ACC Zurich {C}
△ OLBEN 47 18 16 N 007 37 46 E								
	232°	14	FL 195 FL 95	FL 100		Odd		ACC Zurich {C, E}
△ LUTIX 47 09 54 N 007 22 14 E								
	232°	10	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ BENOT 47 03 28 N 007 10 22 E								
	232°	14	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ NEMOS 46 54 43 N 006 54 24 E								
	232°	18	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ VEROX 46 43 39 N 006 34 24 E								
	227°	38	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ MILPA 46 18 09 N 005 52 47 E								
RINLI - MILPA: CDR 1 H24 By ATC: Alternative route via N850 - TRA - Z669								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
N871								
▲ MOLUS 46 26 38 N 006 40 46 E								
	052°	11	FL 195 FL 95	FL 100		Even		ACC Geneva {C, E}
△ SOSAL 46 33 29 N 006 53 04 E								
	052°	21	FL 195 FL 95	FL 100		Even		ACC Geneva {C, E}
△ TELNO 46 46 19 N 007 16 15 E								
	052°	7	FL 195 FL 95	FL 100		Even		ACC Geneva {C, E}
△ KORED 46 51 02 N 007 24 51 E								
	052°	14	FL 195 FL 95	FL 100		Even		ACC Zurich {C, E}
△ KONOL 46 59 43 N 007 40 51 E								
	052°	14	FL 195 FL 95	FL 100		Even		ACC Zurich {C, E}
△ BERSU 47 08 08 N 007 56 29 E								
	058°	3	FL 195 FL 135	FL 140		Even		ACC Zurich {C}
△ SUREP 47 09 55 N 008 00 39 E								
	058°	16	FL 195 FL 135	FL 140		Even		ACC Zurich {C}
△ DITON 47 18 08 N 008 20 00 E								
	078°	36.0	FL 195 FL 135	FL 140		Odd		ACC Zurich {C, E}
△ DEGES 47 24 45 N 009 12 07 E								
	090°	18.3	FL 195 10500 ft	11000 ft		Odd		ACC Zurich {C}
△ GAMSA 47 24 30 N 009 39 07 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Q341								
△ BEGAR		47 54 30 N 007 35 00 E						
	128°	70.2	FL 660 FL 245			Odd		ACC Zurich {C}
△ ELMUR		47 09 24 N 008 54 27 E						
	130°	62.0	FL 660 FL 245			Odd		ACC Zurich {C}
△ RESIA		46 28 42 N 010 02 36 E						
BEGAR - RESIA: CDR 1 H24								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG		Dist (NM)	Upper limit / Lower limit		Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks							
								↓	↑								
T45																	
△ VENAT			46 14 39 N 006 35 48 E														
			031°	22					Even		REF: AIP France						
△ SOSAL			46 33 29 N 006 53 04 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T50								
△ VEBIT		47 16 07 N 008 00 21 E						
	247°	12	FL 195 6500 ft	7000 ft		Odd		ACC Zurich {C, E}
△ ROTOS		47 11 24 N 007 43 31 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T51								
△ VEBIT		47 16 07 N 008 00 21 E						
	292°	7.5	FL 660 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ DANZE		47 19 16 N 007 50 17 E						
	292°	13.5	FL 660 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ LASUN		47 24 51 N 007 32 15 E						
	284°	34	FL 195 FL 115	FL 120		Even		ACC Zurich APP Bâle ACC Reims {C, E}
△ Hericourt NDB (HR)		47 33 42 N 006 43 56 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T52								
△ VEBIT 47 16 07 N 008 00 21 E								
	274°	30	FL 95 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ BALIR 47 18 30 N 007 16 53 E								
	319°	8	FL 95 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ LUMEL 47 24 26 N 007 09 14 E								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
T53																	
△ VEBIT			47 16 07 N 008 00 21 E														
	093°	10	FL 660 6500 ft	7000 ft		Even		ACC Zurich {C, E}									
△ OBEDU			47 15 29 N 008 15 18 E														
	093°	8	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}									
△ OMIDO			47 14 58 N 008 27 03 E														
	153°	6	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}									
△ ARTAG			47 09 52 N 008 30 50 E														
	174°	8	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}									
△ GERSA			47 02 22 N 008 31 56 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T103								
△ DITON		47 18 08 N 008 20 00 E						
	071°	27.1	FL 660 FL 135	FL 140		Odd		ACC Zurich {C}
△ KUDIS		47 26 28 N 008 58 01 E						
	071°	29.2	FL 660 8500 ft	9000 ft		Odd		ACC Zurich {C, E}
△ NUNRI		47 35 12 N 009 39 09 E						
	092°	26.6						ACC Zurich REF: AIP Germany {C, E}
△ BEMKI		47 33 34N 010 18 20 E						

Route Designator {RNP Type}									[Route Usage Notes]	
Significant Point Name		Significant Point Coordinates						Remarks		
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks		
						↓	↑			
T125										
△ RAMOK		47 01 20 N 007 41 03 E								
	042°	13.1	FL 195 5500 ft	6000 ft		Even		APP Bern {C, E}		
△ WILLISAU VOR/DME (WIL)		47 10 42 N 007 54 21 E								
	021° 201°	12.4	FL 95 FL 75	FL 80		Even	Odd	APP Zurich {C, E}		
△ EKTUM		47 22 08 N 008 01 28 E								
	054° 235°	24.9	FL 95 FL 75	FL 80		Even	Odd	APP Zurich {C, E}		
△ ENONO		47 35 53 N 008 32 03 E								
	090° 270°	11.5	FL 95 FL 75	FL 80		Even	Odd	APP Zurich {C}		
△ Zurich East VOR/DME (ZUE)		47 35 32 N 008 49 04 E								
	056° 237°	13.8	FL 660 5500 ft	6000 ft		Even	Odd	ACC/APP Zurich {C, E}		
△ ROMIR		47 42 47 N 009 06 28 E								
								REF: AIP Germany		
△ GARMO		47 47 35 N 009 18 01 E								
WIL - ZUE: CDR 1 H24 By ATC: Alternative route via T625										

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
T163											
△ DITON		47 18 08 N 008 20 00 E									
	047°	26.3	FL 660 FL 135	FL 140		Even		ACC Zurich {C}			
△ Zurich East VOR/ DME (ZUE)		47 35 32 N 008 49 04 E									
	014°	12.0	FL 660 FL 245	FL 250		Even		ACC Zurich {C}			
△ SONOM (UIR BDRY)		47 47 03 N 008 53 46 E									

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}			Track MAG		Dist (NM)		Upper limit / Lower limit		Minimum enroute altitude		Lateral limits (NM)		Direction of cruising levels		Controlling unit {Airspace class} Remarks		
													↓ ↑				
T544																	
△ VEBIT			47 16 07 N 008 00 21 E														
			214°		6.8		FL 95 6500 ft		7000 ft				Odd		APP Zurich APP Bern {C, E}		
△ WILLISAU VOR/ DME (WIL)			47 10 42 N 007 54 21 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T625								
△ ROMIR		47 42 47 N 009 06 28 E						
	$\frac{197^{\circ}}{017^{\circ}}$	24.0	$\frac{FL\ 95}{FL\ 75}$	FL 80		Odd	Even	APP Zurich {C,D}
△ SUBEX		47 20 07 N 008 54 45 E						
	$\frac{255^{\circ}}{075^{\circ}}$	42.2	$\frac{FL\ 95}{FL\ 75}$	FL 80		Odd	Even	APP Zurich {C, D, E}
△ WILLISAU VOR/ DME (WIL)		47 10 42 N 007 54 21 E						
	$\frac{266^{\circ}}{086^{\circ}}$	12.2	$\frac{FL195}{7500\ ft}$	8000 ft		Even	Odd	ACC Zurich APP Bern {C, E}
△ OSKUP		48 10 07 N 007 36 33 E						
	$\frac{281^{\circ}}{101^{\circ}}$	20.8	$\frac{FL105}{7500\ ft}$	8000 ft		Even	Odd	APP Bern {E}
△ DEKAM		47 14 24 N 007 06 46 E						
ROMIR - WIL: Only by ATC Alternative route for T125								

Route Designator {RNP Type}									[Route Usage Notes]	
Significant Point Name		Significant Point Coordinates						Remarks		
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks		
						↓	↑			
T626										
▲ Hericourt NDB (HR) 47 33 42 N 006 43 56 E										
	129°	16.0	FL 195 FL 85	FL 90		Odd		ACC Reims / ACC Zurich REF: AIP France {C, D, E}		
△ DOUCI 47 23 08 N 007 02 03 E										
	132°	19.1	FL 195 6500 ft	7000 ft		Odd		ACC Zurich / APP Bern {C, E}		
△ LUTIX 47 09 54 N 007 22 14 E										
	087°	9.8	FL 195 6500 ft	7000 ft		Odd		ACC Zurich / APP Bern {C, E}		
△ OSKUP 47 10 07 N 007 36 33 E										

Route Designator {RNP Type} [Route Usage Notes]														
Significant Point Name		Significant Point Coordinates					Remarks							
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks						
						↓	↑							
T627														
△ LUTIX 47 09 54 N 007 22 14 E														
	144°	4.4	FL 195 6000 ft	6000 ft		Odd		ACC Zurich / APP Bern {C, D, E}						
△ KOPPI 47 06 15 N 007 25 55 E														
	201°	5.9	FL 195 7500 ft	8000 ft		Odd		ACC Zurich / APP Bern {C, D, E}						
△ BIRKI 47 00 47 N 007 22 35 E														
	223°	4.9	FL 195 7500 ft	8000 ft		Odd		ACC Zurich / APP Bern {C, D, E}						
△ ULMES 46 57 18 N 007 17 33 E														
LUTIX - ULMES: CDR 1 H24														

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
T718											
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E									
	305°	24.3	FL 245 7500 ft	8000 ft		Even		ACC Zurich / ACC Langen REF: AIP Germany {C}			
△ ALINE		47 55 28 N 007 56 47 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
T734								
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E						
	065°	13.1	FL 660 6500 ft	7000 ft		Odd		ACC Zurich {C, E}
△ SONGI		47 46 40 N 008 43 55 E						
								REF: AIP Germany
△ GARMO		47 47 35 N 009 18 01 E						

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
UH10											
△ St-Prex VOR/DME (SPR)		46 28 07 N 006 26 53 E									
	310°	24	FL 500 FL 195			Even		ACC Geneva REF: AIP France {C}			
△ SIROD		46 43 37 N 006 01 10 E									

Route Designator {RNP Type} [Route Usage Notes]														
Significant Point Name		Significant Point Coordinates						Remarks						
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks						
						↓	↑							
UL50														
△ BANKO 45 49 12 N 007 03 17 E														
	335°	41	FL 500 FL 195			Even		ACC Geneva {C}						
△ MOLUS 46 26 38 N 006 40 46 E														

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UL153																	
△ BIBOT (FIR BDRY)			46 45 05 N 006 24 37 E														
	300°	3.5	FL 660 FL 195				Even	ACC Geneva {C}									
△ VADEM			46 43 18 N 006 29 01 E														
	300°	19.3	FL 660 FL 195				Even	ACC Geneva {C}									
△ SOSAL			46 33 29 N 006 53 04 E														
	301°	55.5	FL 660 FL 195				Even	ACC Geneva {C}									
△ PUNSA			46 04 43 N 008 01 33 E														
PUNSA - VADEM: CDR 1 H24																	

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UL612								
MOKIP		46 26 56 N 005 05 37 E						
	104°	34						REF: AIP France
△ MILPA		46 18 09 N 005 52 47 E						
	124°	26.9	FL 660 FL 255			Odd		ACC Geneva
△ PERAK		46 02 47 N 006 24 35 E						
	098°	32.7	FL 660 FL 255			Odd		ACC Geneva <FL305 on ATC request only
△ ORSUD		45 57 28 N 007 10 54 E						
	099°	11.4	FL 660 FL 255			Odd		ACC Geneva <FL305 on ATC request only
△ BIBAN		45 55 32 N 007 27 03 E						
	104°	12.9				Odd		ACC Milano REF: AIP Italy
△ GARLO		45 52 28 N 007 45 01 E						
	104°	17.6				Odd		ACC Milano REF: AIP Italy
△ INVOP		45 48 10 N 008 09 23 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UL613								
△ DIBAX 46 06 59 N 011 03 51 E								
	317°	36.2						ACC Padova REF: AIP Italy
△ SUXAN (FIR BDRY) 46 33 44 N 010 28 45 E								
	317°	5.7	FL 660 FL 295			Even		ACC Zurich {C}
△ VALAV 46 37 58 N 010 23 10 E								
	328°	10.3	FL 660 FL 295			Even		ACC Zurich {C}
△ RONAG 46 46 46 N 010 15 32 E								
	293°	42.7	FL 660 FL 295			Even		ACC Zurich {C}
△ ARGAX 47 03 00 N 009 17 53 E								
	293°	17	FL 660 FL 295			Even		ACC Zurich {C}
△ ELMUR 47 09 24 N 008 54 27 E								
	290°	8	FL 660 FL 195			Even		ACC Zurich {C}
△ MANEG 47 12 15 N 008 43 20 E								
	290°	10	FL 660 FL 195			Even		ACC Zurich {C}
△ RIPUS 47 15 37 N 008 30 00 E								
	110° 290°	7	FL 660 FL 195			Even	Odd	ACC Zurich {C}
△ DITON 47 18 08 N 008 20 00 E								
	110° 290°	29	FL 660 FL 195			Even	Odd	ACC Zurich {C}
△ Hochwald DME (HOC) 47 28 00 N 007 39 56 E								
	102° 282°	7	FL 660 FL 195			Even	Odd	ACC Zurich {C}
△ NATLI 47 29 31 N 007 30 26 E								
RONAG - ELMUR: CDR 1 H24 By ATC: Alternative route via UZ 613 SUXAN - ELMUR: For State flights Diplomatic Clearance for Austria and Germany is required due to possible rerouting via UZ 613								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UL615 Opposite direction BTN AOSTA - SRN below FL 255, only for DEST LIPZ, LIPX, LIPH and at ATC only.								
△ OMETO 45 44 12 N 008 02 34 E								
	278°	25						ACC Milano REF: AIP Italy
△ TERSI 45 47 13 N 007 27 35 E								
	279°	5	FL 660 FL 195			Even		ACC Geneva REF: AIP Italy
△ AOSTA 45 47 47 N 007 20 45 E								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UL856																	
△ Hochwald DME (HOC)			47 28 00 N 007 39 56 E														
	263°	30	FL 660 FL 195			Even		ACC Zurich ACC Reims {C}									
△ ABARI			47 24 59 N 006 56 33 E														
								REF: AIP France									
△ MOROK			47 23 48 N 006 39 20 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UM135								
△ MILPA 46 18 09 N 005 52 47 E								
	105°	11				Odd		ACC Geneva REF: AIP France
△ Geneva DVOR/ DME (GVA) 46 15 14 N 006 07 56 E								
	136°	36	FL 500 FL 195			Odd		ACC Geneva REF: AIP France
△ MOBLO 45 48 35 N 006 43 22 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UM729								
△ AOSTA		45 47 47 N 007 20 45 E						
	324°	12	FL 660 FL 195			Even		ACC Geneva (2)
△ ORSUD		45 57 28 N 007 10 54 E						
	324°	36	FL 660 FL 195			Even		ACC Geneva (2)
△ MOLUS		46 26 38 N 006 40 46 E						
	297°	38	FL 500 FL 195			Even		ACC Geneva
△ NIVIN		46 42 52 N 005 51 58 E						
(2) within UIR Switzerland outside REF: AIP Italy								

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
UM730											
△ MILPA		46 18 09 N 005 52 47 E									
	143°	37				Odd		ACC Geneva REF: AIP France			
△ KOGAS		45 48 30 N 006 23 27 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enrout altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UM872								
△ CERVI		45 58 12 N 007 32 43 E						
	307°	46	FL 500 FL 195			Even		ACC Geneva REF: AIP France {C}
△ MOLUS		46 26 38 N 006 40 46 E						
CERVI - MOLUS: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UM975								
△ LIRKO		46 34 15 N 005 48 52 E						
	101°	37	FL 500 FL 195			Odd		ACC Geneva (2)
△ MOLUS		46 26 38 N 006 40 46 E						
(2) within UIR Switzerland, outside REF: AIP France								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UM982																	
△ SOSAL			46 33 29 N 006 53 05 E														
	283°	43	FL 500 FL 195			Even		ACC Geneva REF: AIP France									
△ NIVIN			46 42 52 N 005 51 58 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UN176								
△ LASUN 47 24 51 N 007 32 15 E								
	268°	16	FL 660 FL 195			Even		ACC Zurich UAC Reims {C}
△ LUMEL 47 24 26 N 007 09 14 E								
	267°	10	FL 660 FL 195			Even		UAC Reims {C}
△ ARNOT 47 24 08 N 006 55 12 E								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UN853																	
△ MOLUS			46 26 38 N 006 40 46 E														
	333°	19	FL 500 FL 195			Even		ACC Geneva (2)									
△ VADEM			46 43 18 N 006 29 01 E														
	333°	23	FL 500 FL 195			Even		ACC Geneva (2)									
△ GILIR			47 03 48 N 006 14 21 E														
(2) within UIR Switzerland, outside REF: AIP France																	

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UN869								
△ OLBEN		47 18 16 N 007 37 46 E						
	232°	14	FL 660 FL195			Odd		ACC Zurich {C}
△ LUTIX		47 09 54 N 007 22 14 E						
	232°	10	FL 660 FL195			Odd		ACC Zurich {C}
△ BENOT		47 03 28 N 007 10 22 E						
	232°	14	FL 660 FL195			Odd		ACC Geneva {C}
△ NEMOS		46 54 43 N 006 54 24 E						
	232°	18	FL 660 FL195			Odd		ACC Geneva {C}
△ VEROX		46 43 39 N 006 34 24 E						
	227°	38	FL 500 FL195			Odd		ACC Geneva {C} (2)
▲ MILPA		46 18 09 N 005 52 47 E						
(2) within UIR Switzerland, outside REF: AIP France RINLI - MILPA: CDR1 H24 By ATC: Alternative Route via N850 - TRA - UZ669								

Route Designator {RNP Type}									[Route Usage Notes]	
Significant Point Name		Significant Point Coordinates						Remarks		
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks		
						↓	↑			
UN871										
▲ MOLUS		46 26 38 N 006 40 46 E								
	052°	11	FL 660 FL 195			Even		ACC Geneva {C}		
△ SOSAL		46 33 29 N 006 53 04 E								
	052°	21	FL 660 FL 195			Even		ACC Geneva {C}		
△ TELNO		46 46 19 N 007 16 15 E								
	052°	7	FL 660 FL 195			Even		ACC Geneva {C}		
△ KORED		46 51 02 N 007 24 51 E								
	052°	14	FL 660 FL 195			Even		ACC Zurich {C}		
△ KONOL		46 59 43 N 007 40 51 E								
	052°	14	FL 660 FL 195			Even		ACC Zurich {C}		
△ BERSU		47 08 08 N 007 56 29 E								
	058°	3	FL 660 FL 195			Even		ACC Zurich {C}		
△ SUREP		47 09 55 N 008 00 39 E								
	058°	16	FL 660 FL 195			Even		ACC Zurich {C}		
△ DITON		47 18 08 N 008 20 00 E								
	078°	36.0	FL 660 FL 195			Odd		ACC Zurich {C}		
△ DEGES		47 24 45 N 009 12 07 E								
	090°	18.3	FL 660 FL 195			Odd		ACC Zurich		
△ GAMSA		47 24 30 N 009 39 07 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UP131								
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	136°	52.0	FL 660 FL 245			Odd		ACC Zurich {C}
△ ARGAX 47 03 00 N 009 17 53 E								
	137° 317°	46.1	FL 660 FL 245			Odd	Even	ACC Zurich {C}
△ RESIA (UIR BDRY) 46 28 42 N 010 02 36 E								
	139° 319°	25.3						ACC Padova REF: AIP Italy
△ ATPED 46 09 15 N 010 25 49 E								
TRA - RESIA: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UT10								
△ LASUN		47 24 51 N 007 32 15 E						
	269°	16	FL 660 FL 195			Even		ACC Zurich UAC Reims {C}
△ LUMEL		47 24 26 N 007 09 14 E						
	281°	9	FL 660 FL 195			Even		UAC Reims {C}
△ KUBOM		47 26 10 N 006 56 45 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UT45								
△ VENAT		46 14 39 N 006 35 48 E						
	031°	22	FL 500 FL 195			Even		within UIR Switzerland; outside: REF AIP France
△ SOSAL		46 33 29 N 006 53 04 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UT423								
△ MOLUS		46 26 38 N 006 40 46 E						
	315°	44	FL 500 FL 305			Even		ACC Geneva REF: AIP France
△ IBODI		46 57 13 N 005 54 00 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UY170								
△ DILEB		45 58 30 N 009 39 44 E						
	346°	20.4				Even		ACC Milan REF: AIP Italy
△ ABREG (UIR BDRY)		46 18 25 N 009 33 05 E						
	346°	45.8	FL 660 FL 195			Even		ACC Zurich {C}
△ ARGAX		47 03 00 N 009 17 53 E						
	348°	40.6	FL 660 FL 195			Even		ACC Zurich {C}
△ ROMIR		47 42 47 N 009 06 28 E						
ABREG - ROMIR: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ65								
△ St-Prex VOR/DME (SPR)		46 28 07 N 006 26 53 E						
	247° 067°	9.2	FL 660 FL 195			Odd	Even	ACC Geneva {C}
△ Gland NDB (GLA)		46 24 31 N 006 14 39 E						
	247°	16	FL 500 FL 195			Odd		ACC Geneva {C}
△ MILPA		46 18 09 N 005 52 47 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ67								
△ VENAT		46 14 39 N 006 35 48 E						
	053°	33	FL 500 FL 195			Even		ACC Geneva REF: AIP France
△ LAMUR		46 34 47 N 007 13 53 E						
	025°	18	FL 660 FL 195			Even		ACC Geneva
△ KORED		46 51 02 N 007 24 51 E						
VENAT - KORED: CDR 1 H24								

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
UZ139											
▲ MILPA		46 18 09 N 005 52 47 E									
	132°	19	FL245 FL195			Odd		ACC Geneva REF: AIP France			
△ KINNI		46 05 20 N 006 12 42 E									
MILPA - KINNI: Only by ATC H24											

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UZ613																	
△ SAFFA			46 44 13 N 010 24 16 E														
	292°	6.5	FL 660 FL 295			Even		ACC Zurich {C}									
△ RONAG			46 46 46 N 010 15 32 E														
	327°	25.9	FL 660 FL 295			Even		ACC Zurich {C}									
△ INTEG			47 09 02 N 009 56 09 E														
	326°	40.1	FL 660 FL 295			Even		ACC Zurich {C}									
△ NEGRA			47 43 20 N 009 25 38 E														
	267°	8	FL 660 FL 195			Even		ACC Zurich {C}									
△ AKABI			47 43 01 N 009 14 00 E														
	267°	32	FL 660 FL 195			Even		ACC Zurich {C}									
△ Trasadingen DME (TRA)			47 41 22 N 008 26 13 E														
	247°	34	FL 660 FL 195			Even		ACC Zurich {C}									
△ Hochwald DME (HOC)			47 28 00 N 007 39 56 E														
SAFFA - RONAG: CDR 1 H24 RONAG - NEGRA: Only by ATC Alternative route for UL613																	

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ651								
△ CANNE 46 10 00 N 008 52 52 E								
	354°	26.5	FL 660 FL 195			Even		ACC Zurich {C}
△ DETRI 46 36 22 N 008 48 54 E								
	354°	21.1	FL 660 FL 195			Even		ACC Zurich {C}
△ KELIP 46 57 22 N 008 45 42 E								
	354°	7	FL 660 FL 195			Even		ACC Zurich {C}
△ MOSIT 47 04 09 N 008 44 38 E								
	354°	8	FL 660 FL 195			Even		ACC Zurich {C}
△ MANEG 47 12 15 N 008 43 20 E								
	354°	2	FL 660 FL 195			Even		ACC Zurich {C}
△ KESEX 47 14 05 N 008 43 00 E								
	010°	21.8	FL 660 FL 195			Even		ACC Zurich {C}
△ Zurich East VOR/ DME (ZUE) 47 35 32 N 008 49 04 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ662								
△ MOBLO		45 48 35 N 006 43 22 E						
	022°	51	FL 500 FL 195			Even		ACC Geneva REF: AIP France
△ LAMUR		46 34 47 N 007 13 53 E						
MOBLO - LAMUR: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ669								
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	224°	42	FL 660 FL 195			Odd		ACC Zurich {C}
△ ROTOS 47 11 24 N 007 43 31 E								
	232°	16	FL 660 FL 195			Odd		ACC Zurich {C}
△ BADEP 47 01 38 N 007 25 28 E								
	232°	7	FL 660 FL 195			Odd		ACC Zurich {C}
△ ULMES 46 57 18 N 007 17 33 E								
	232°	29	FL 660 FL 195			Odd		ACC Geneva {C}
△ VADAR 46 39 26 N 006 45 13 E								
	238°	42	FL 500 FL 195			Odd		ACC Geneva {C}
△ MILPA 46 18 09 N 005 52 47 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
UZ670								
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	188°	23.6	FL 660 FL 245			Odd		ACC Zurich {C}
△ DITON 47 18 08 N 008 20 00 E								
	173°	62.0	FL 660 FL 195			Odd		ACC Zurich {C}
△ BASGO 46 16 23 N 008 28 20 E								
TRA - BASGO: CDR 1 H24								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
UZ909																	
△ RESIA			46 28 42 N 010 02 36 E														
	146° 326°	59.6					Odd	Even	ACC Padova REF: AIP Italy								
△ IDREK			45 38 46 N 010 49 10 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Y3								
△ ELBEG		47 41 49 N 007 44 58 E						
	132°	16.5	FL105 6500 ft	7000 ft		Odd		APP Zurich REF: AIP Germany {C, D, E}
△ GIPOL		47 30 19 N 008 02 27 E						

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
Y5											
△ MEBOX		47 05 10 N 007 36 33 E									
	063°	13.3	FL195 5500 ft	6000 ft		Even		APP Bern {C, D, E}			
△ Willisau VOR/ DME (WIL)		47 10 42 N 007 54 21 E									

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Y52																	
△ GOLEB			46 03 06 N 006 33 45 E														
	303°	4	FL 265 <i>13500 ft</i>	FL 140		Odd		ACC Geneva {D}									
△ VALBU			46 05 10 N 006 29 23 E														
	303°	7	FL 265 <i>10600 ft</i>	FL 110		Odd		ACC Geneva {C, D}									
△ SUVEL			46 09 05 N 006 21 04 E														
	303°	5	FL 265 <i>10600 ft</i>	FL 110		Odd		ACC Geneva {C, D}									
△ BIVLO			46 11 50 N 006 15 14 E														
	226°	11	FL 265 <i>8500 ft</i>	FL 90		Odd		ACC Geneva {C}									
△ SALEV			46 04 26 N 006 03 57 E														

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Y58																	
△ NEMOS			46 54 43 N 006 54 24 E														
	202°	17	FL 265 9500 ft	FL 100		Odd		ACC Geneva {C,E}									
△ VADAR			46 39 26 N 006 45 13 E														
	227°	17	FL 265 9500 ft	FL 100		Odd		ACC Geneva {C,E}									
△ St-Prex VOR/DME (SPR)			46 28 07 N 006 26 53 E														
	224°	18	FL 265 7800 ft	FL 80		Odd		ACC Geneva {C}									
△ Geneva DVOR/ DME (GVA)			46 15 14 N 006 07 56 E														
	192°	11	FL 265 7800 ft	FL 80		Odd		ACC Geneva {C}									
△ SALEV			46 04 26 N 006 03 57 E														

Route Designator {RNP Type} [Route Usage Notes]														
Significant Point Name		Significant Point Coordinates						Remarks						
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks						
						↓	↑							
Y100														
△ UMTEX 47 50 15 N 009 37 27 E														
	259°	48.9	FL 660 5500 ft	6000 ft		Even		UAC Karlsruhe ACC Munchen ACC Zurich {C}						
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E														

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Y164																	
△ MOPAN			48 14 47 N 008 09 16 E														
	201°	60.4	FL 660 FL 105	FL 110		Odd		ACC Zurich REF: AIP Germany									
△ OLBEN			47 18 16 N 007 37 46 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Y170								
△ DILEB		45 58 30 N 009 39 44 E						
	346°	20.4				Even		ACC Milan REF: AIP Italy
△ ABREG (FIR BDRY)		46 18 25 N 009 33 05 E						
	346°	45.8	FL 195 / 13000 ft	14000 ft		Even		ACC Zurich {D}
△ ARGAX		47 03 00 N 009 17 53 E						
	348°	40.6	FL 195 / 10000 ft	11000 ft		Even		ACC Zurich {C, E}
△ ROMIR		47 42 47 N 009 06 28 E						
ABREG - ROMIR: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z1								
△ DEGES 47 24 45 N 009 12 07 E								
	059°	9	FL 660 7500 ft	8000 ft		Even		ACC Zurich {C, E}
△ ROMGA 47 29 26 N 009 24 13 E								
	017°	6	FL 660 7500 ft	8000 ft		Even		ACC Zurich {C, E}
△ BODAN 47 35 15 N 009 27 05 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z2								
△ DEGES		47 24 45 N 009 12 07 E						
	076°	16.6	FL 660 9500 ft	10000 ft		Odd		ACC Zurich {C, E}
△ DORAP (FIR BDRY)		47 28 22 N 009 36 04 E						

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
Z6											
△ DEGES		47 24 45 N 009 12 07 E									
	059°	21.1	FL 660 7500 ft	8000 ft		Odd		REF: AIP Germany ACC Zurich {C, E}			
△ NUNRI		47 35 12 N 009 39 09 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z50								
△ OLBEN		47 18 16 N 007 37 46 E						
	148°	7.9	FL 285 6500 ft	7000 ft		Odd		ACC Zurich {C, E}
△ ROTOS		47 11 24 N 007 43 31 E						
	108°	9.4	FL 285 7500 ft	8000 ft		Odd		ACC Zurich {C, E}
△ BERSU		47 08 08 N 007 56 29 E						
	101°	19.9	FL 285 11500 ft	12000 ft		Odd		ACC Zurich {C, D, E}
△ URIGI		47 03 32 N 008 24 49 E						
	102°	5.0	FL 285 11500 ft	12000 ft		Odd		ACC Zurich {C, E}
△ GERSA		47 02 22 N 008 31 56 E						
	116°	10.7	FL 660 13500 ft	14000 ft		Odd		ACC Zurich {C}
△ KELIP		46 57 22 N 008 45 42 E						
	116° 296°	8.5	FL 660 13500 ft	14000 ft		Odd	Even	ACC Zurich {C}
△ SOPER		46 53 22 N 008 56 40 E						
	116° 297°	36.7	FL 660 15500 ft	16000 ft		Odd	Even	ACC Zurich {C}
△ PELAD		46 35 56 N 009 43 33 E						
	117° 297°	15.0	FL 660 15500 ft	16000 ft		Odd	Even	ACC Zurich {C}
△ RESIA (FIR/UIR BDRY)		46 28 42 N 010 02 36 E						
BERSU - GERSA: CDR 1 H24 KELIP - RESIA: CDR 1 H24								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Z57																	
△ LAMUR			46 34 47 N 007 13 53 E														
	040°	16	FL 660 FL 155	FL 160		Even		ACC Geneva {C}									
△ GUDAX			46 47 05 N 007 29 25 E														
	051°	27	FL 660 FL 115	FL 120		Even		ACC Zurich {C}									
△ DOPIL			47 04 12 N 008 01 00 E														
LAMUR - DOPIL: CDR 1 H24																	

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z58								
△ BERSU		47 08 08 N 007 56 29 E						
	030°	39	FL 660 7500 ft	8000 ft		Even		ACC Zurich {C}
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z59								
△ KONOL		46 59 43 N 007 40 51 E						
	319°	25	FL 660 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ BALIR		47 18 30 N 007 16 53 E						
	319°	8	FL 660 6500 ft	7000 ft		Even		ACC Zurich {C, E}
△ LUMEL		47 24 26 N 007 09 14 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z60								
△ AMRID 46 56 05 N 007 19 33 E								
	202°	10.3	FL 195 7500 ft	8000 ft		Odd		ACC Geneva {C, D, E}
△ Fribourg VOR/ DME (FRI) 46 46 39 N 007 13 25 E								
	248°	20.7	FL 660 7600 ft	8000 ft		Even		ACC Geneva {C, E}
△ VADAR 46 39 26 N 006 45 13 E								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Z61																	
△ SOSAL			46 33 29 N 006 53 04 E														
	047°	19	FL 660 7500 ft	8000 ft		Even		ACC Geneva {C, E}									
△ Fribourg VOR/ DME (FRI)			46 46 39 N 007 13 25 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z62								
△ DEREM		46 21 24 N 006 10 34 E						
	087°	5	FL 195 7000 ft	8000 ft		Odd		ACC Geneva {C}
△ NAMEL		46 21 28 N 006 17 00 E						
	087°	10	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ TINAM		46 21 36 N 006 31 50 E						
	049°	8	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ MOLUS		46 26 38 N 006 40 46 E						

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Z63																	
△ KONIL			46 34 06 N 006 27 30 E														
	092°	18	FL 195 7500 ft	8000 ft		Odd		ACC Geneva {C, E}									
△ SOSAL			46 33 29 N 006 53 04 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z64								
△ St-Prex VOR/DME (SPR)		46 28 07 N 006 26 53 E						
	097° 277°	10	FL 500 FL 100	9500 ft		Odd	Even	ACC Geneva {C}
△ MOLUS		46 26 38 N 006 40 46 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z65								
△ St-Prex VOR/DME (SPR) 46 28 07 N 006 26 53 E								
	247° 067°	9.2	FL 195 6500 ft	7000 ft		Odd	Even	ACC Geneva {C}
△ Gland NDB (GLA) 46 24 31 N 006 14 39 E								
	247°	16	FL 195 7900 ft	7900 ft		Odd		ACC Geneva {C, E}
△ MILPA 46 18 09 N 005 52 47 E								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z67								
△ LAMUR		46 34 47 N 007 13 53 E						
	025°	18	FL 195 FL 155	FL 160		Even		ACC Geneva {C}
△ KORED		46 51 02 N 007 24 51 E						
LAMUR - KORED: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z69								
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	235°	40	FL 660 FL 135	FL 140		Odd		ACC Zurich {C}
△ OLBEN 47 18 16 N 007 37 46 E								
TRA - OLBEN: CDR 1 H24 By ATC: Alternative route via (U)Z 669								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z83								
△ DETRI 46 36 22 N 008 48 54 E								
	110° 291°	20.5	FL 195 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}
△ ULGOD 46 28 55 N 009 16 31 E								
	102° 282°	7.9	FL 195 FL 155	FL 160		Odd	Even	ACC Zurich {C}
△ ROSGO 46 27 10 N 009 27 41 E								
	075° 255°	13.1	FL 195 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}
△ GUGSA 46 30 23 N 009 46 00 E								
DETRI - GUGSA: CDR 3 H24								

Route Designator {RNP Type}									[Route Usage Notes]	
Significant Point Name		Significant Point Coordinates						Remarks		
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks		
						↓	↑			
Z119										
△ SOSON		46 36 24 N 008 35 39 E								
	089° 269°	9.1	FL 245 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}		
△ DETRI		46 36 22 N 008 48 54 E								
	089° 269°	7	FL 245 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}		
△ PIXOS		46 36 19 N 008 58 59 E								
	089° 269°	30.7	FL 245 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}		
△ PELAD		46 35 56 N 009 43 33 E								
	063° 243°	18.5	FL 245 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}		
△ ARDED		46 44 07 N 010 07 40 E								
	063° 243°	6	FL 245 15000 ft	16000 ft		Odd	Even	ACC Zurich {C}		
△ RONAG		46 46 46 N 010 15 32 E								
	360° 180°	21.5	FL 245 15800 ft	16000 ft		Odd	Even	ACC Zurich / ACC Munich REF: AIP Austria {C}		
△ KUSAM		47 08 14 N 010 16 55 E								
DETRI - KUSAM: CDR 1 H24										

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z138								
△ KESEX		47 14 05 N 008 43 00 E						
	038°	16.1	FL 660 8500 ft	9000 ft		Even		ACC Zurich {C}
△ KUDIS		47 26 28 N 008 58 01 E						
	099°	9.7	FL 660 8500 ft	9000 ft		Odd		ACC Zurich {C}
△ DEGES		47 24 45 N 009 12 07 E						

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
Z141											
△ MEBOX		47 05 10 N 007 36 33 E									
	077°	14	FL 195 <u>5500 ft</u>	6000 ft		Even		ACC Zurich above FL 105 APP Bern below FL 105 {C, E}			
△ BERSU		47 08 08 N 007 56 29 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z142								
△ RAMOK 47 01 20 N 007 41 03 E								
	320°	5	FL 195 5200 ft	6000 ft		Even		ACC Zurich above FL 105 APP Bern below FL 105 {C, E}
△ MEBOX 47 05 10 N 007 36 33 E								
	314°	19	FL 195 5900 ft	7000 ft		Even		ACC Zurich above FL 105 APP Bern below FL 105 {C, E}
△ BALIR 47 18 30 N 007 16 53 E								

Route Designator {RNP Type}									[Route Usage Notes]		
Significant Point Name		Significant Point Coordinates						Remarks			
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks			
						↓	↑				
Z143											
△ RAMOK		47 01 20 N 007 41 03 E									
	056°	13	FL 195 5700 ft	6000 ft		Even		ACC Zurich above FL 105 APP Bern below FL 105 {C, E}			
△ BERSU		47 08 08 N 007 56 29 E									

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z144								
△ AMRID		46 56 05 N 007 19 33 E						
	237°	15	FL 195 6300 ft	8000 ft		Odd		ACC Geneva {C, E}
△ ESEVA		46 48 08 N 007 00 53 E						

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}			Track MAG		Dist (NM)		Upper limit / Lower limit		Minimum enroute altitude		Lateral limits (NM)		Direction of cruising levels		Controlling unit {Airspace class} Remarks		
													↓ ↑				
Z162																	
△ ROLSA			47 17 23 N 008 53 21 E														
			350°		18.4		FL 660 8500 ft		9000 ft				Even		ACC Zurich {C}		
△ Zurich East VOR/ DME (ZUE)			47 35 32 N 008 49 04 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z163								
△ Zurich East VOR/ DME (ZUE)		47 35 32 N 008 49 04 E						
	091°	26	FL 660 8500 ft	9000 ft		Odd		ACC Zurich {C, E}
△ BODAN		47 35 15 N 009 27 05 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z170								
△ ARGAX		47 03 00 N 009 17 53 E						
	329°	27.1	$\frac{\text{FL 660}}{10000 \text{ ft}}$	11000 ft		Even		ACC Zurich {C, E}
△ KUDIS		47 26 28 N 008 58 01 E						
	351°	20.8	$\frac{\text{FL 660}}{\text{FL 245}}$	FL 250		Even		ACC Zurich {C}
△ SONOM (UIR BDRY)		47 47 03 N 008 53 46 E						
ARGAX - KUDIS: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z408								
△ TIRUL		47 03 26 N 010 31 43 E						
	211°	20.0	FL 245 15800 ft	16000 ft		Odd		ACC Munich / ACC Zurich REF: AIP Austria {C}
△ RONAG		46 46 46 N 010 15 32 E						
TIRUL - RONAG: CDR 1 H24								

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z424								
△ DEGAD		46 26 10 N 008 37 06 E						
	211° 031°	11.5	FL 660 FL 175	FL 180		Odd		ACC Zurich {C}
△ BASGO		46 16 23 N 008 28 20 E						
	173° 353°	9.8	FL 305 FL 175	FL190		Odd		ACC Zurich ACC Milano REF: AIP Italy
▲ AKASU		46 06 35 N 008 29 44 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z601								
△ Willisau VOR/ DME (WIL)		47 10 42 N 007 54 21 E						
	013° 193°	20.4	FL095 7500 ft	8000 ft		Odd	Even	APP Bern APP Zurich {C, E}
△ GIPOL		47 30 19 N 008 02 27 E						
	052° 233°	19.5	FL095 7500 ft	8000 ft		Odd	Even	APP Zurich {C}
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E						
	108° 288°	16.5	FL095 5500 ft	6000 ft		Odd	Even	APP Zurich {C}
Zurich East △ DVOR/DME (ZUE)		47 35 32 N 008 49 04 E						
	087° 268°	25.7	FL095 5500 ft	6000 ft		Odd	Even	APP Zurich {C, E}
△ BODAN (FIR BDRY)		47 35 15 N 009 27 05 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z651								
△ DESIP		45 38 45 N 009 07 33 E						
	341°	32.9						ACC Milano REF: AIP Italy
△ CANNE		46 10 00 N 008 52 52 E						
	354°	26.5	FL195 13000 ft	14000 ft		Even		ACC Zurich {C}
△ DETRI		46 36 22 N 008 48 54 E						
	354°	21.1	FL195 13000 ft	14000 ft		Even		ACC Zurich {C}
△ KELIP		46 57 22 N 008 45 42 E						
	354°	7	FL195 13000 ft	14000 ft		Even		ACC Zurich {C}
△ MOSIT		47 04 09 N 008 44 38 E						
	354°	8	FL195 9000 ft	9500 ft		Even		ACC Zurich {C}
△ MANEG		47 12 15 N 008 43 20 E						
	354°	2	FL195 9000 ft	9500 ft		Even		ACC Zurich {C}
△ KESEX		47 14 05 N 008 43 00 E						
	010°	21.8	FL195 8500 ft	9000 ft		Even		ACC Zurich {C}
△ Zurich East VOR/ DME (ZUE)		47 35 32 N 008 49 04 E						

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Z652																	
△ KESEX			47 14 05 N 008 43 00 E														
	337°	30	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}									
△ Trasadingen DME (TRA)			47 41 22 N 008 26 13 E														

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z653								
△ KESEX		47 14 05 N 008 43 00 E						
	064°	8	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}
△ ROLSA		47 17 23 N 008 53 21 E						

Route Designator {RNP Type} [Route Usage Notes]								
Significant Point Name		Significant Point Coordinates					Remarks	
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks
						↓	↑	
Z669								
△ Trasadingen DME (TRA) 47 41 22 N 008 26 13 E								
	224°	42	FL 195 FL 135	FL 140		Odd		ACC Zurich {C}
△ ROTOS 47 11 24 N 007 43 31 E								
	232°	16	FL 195 FL 95	FL 100		Odd		ACC Zurich {C, E}
△ BADEP 47 01 38 N 007 25 28 E								
	232°	7	FL 195 FL 95	FL 100		Odd		ACC Zurich {C, E}
△ ULMES 46 57 18 N 007 17 33 E								
	232°	15	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ ESEVA 46 48 08 N 007 00 53 E								
	232°	14	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ VADAR 46 39 26 N 006 45 13 E								
	238°	42	FL 195 FL 95	FL 100		Odd		ACC Geneva {C, E}
△ MILPA 46 18 09 N 005 52 47 E								

Route Designator {RNP Type}									[Route Usage Notes]								
Significant Point Name			Significant Point Coordinates						Remarks								
{RNP Type}	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum enroute altitude	Lateral limits (NM)	Direction of cruising levels		Controlling unit {Airspace class} Remarks									
						↓	↑										
Z671																	
△ DITON			47 18 08 N 008 20 00 E														
	091°	23	FL 660 9000 ft	9500 ft		Even		ACC Zurich {C, E}									
△ ROLSA			47 17 23 N 008 53 21 E														