

**ENR 3.3 OTHER ROUTES****1. Low Flight Network (LFN) ATS Routes**

The operation on this network is subject to specific state authorization and access procedures by the national provider (see [ENR 1.1 - 4.8](#)).

The following tables describe the Low Flight Network for rotary wing aircraft that comply with the required navigational performance of **RNP 0.3**.

For speed restrictions refer to [ENR 6.4 - 1](#).

This network consists of low-level routes (KYxyz) and associated routes (KQxyz) to and from various landing sites and regions. Table of cruising levels ([ENR 1.7 - 5.3](#)) is not applicable to LFN.

**2. Index of ENR 3.3 Route Tables - Low Flight Network (LFN) ATS Routes**

Route Designator	Page
<a href="#">KQ811</a>	<a href="#">ENR 3.3 - 2</a>
<a href="#">KQ821</a>	<a href="#">ENR 3.3 - 3</a>
<a href="#">KQ831</a>	<a href="#">ENR 3.3 - 4</a>
<a href="#">KQ832</a>	<a href="#">ENR 3.3 - 5</a>
<a href="#">KQ833</a>	<a href="#">ENR 3.3 - 6</a>
<a href="#">KQ834</a>	<a href="#">ENR 3.3 - 7</a>
<a href="#">KQ861</a>	<a href="#">ENR 3.3 - 8</a>
<a href="#">KQ862</a>	<a href="#">ENR 3.3 - 9</a>
<a href="#">KQ864</a>	<a href="#">ENR 3.3 - 10</a>
<a href="#">KQ868</a>	<a href="#">ENR 3.3 - 11</a>
<a href="#">KY251</a>	<a href="#">ENR 3.3 - 12</a>
<a href="#">KY252</a>	<a href="#">ENR 3.3 - 14</a>
<a href="#">KY253</a>	<a href="#">ENR 3.3 - 16</a>
<a href="#">KY256</a>	<a href="#">ENR 3.3 - 17</a>
<a href="#">KY257</a>	<a href="#">ENR 3.3 - 18</a>

3. Low Flight Network (LFN) ATS Routes

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
<b>KQ811</b>							
△ LS103	46 43 11.2 N 006 57 39.1 E						
	274°	9.2	FL 195 5500 ft MEA = 6000 ft				ACC Geneva {C, E} TWR/APP Payerne {D}
△ ETEKI	46 44 10.8 N 006 44 21.4 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits  MEA	Lateral limits  MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
<b>KQ821</b>							
△ ME103	47 07 27.9 N 008 07 05.1 E						
	064°	15.2	FL 195 4500 ft MEA = 5000 ft	MOCA = 3675 ft			ACC Zurich {C, E} TWR/APP Emmen {D}
△ RONIX	47 13 34.5 N 008 27 25.2 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑	
<b>KQ831</b>							
△ DEGES	47 24 45 N 009 12 07 E						
	234° ↕	9.9	FL 195 <u>5500 ft</u> MEA = 6000 ft				ACC Zurich {C, E} TWR/APP Dubendorf, {D}
△ MD503	47 19 16.1 N 009 00 03.8 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits  MEA	Lateral limits  MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
<b>KQ832</b>							
△ LS111	47 12 41.6 N 008 57 01.1 E						
	015° ↕	1.9	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Dubendorf {D}
△ MD505	47 14 30.6 N 008 57 49.1 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
<b>KQ833</b>							
△ LS110	47 12 26.8 N 008 47 38.1 E						
	308° ↕	0.9	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Dubendorf {D}
△ MD516	47 13 02.2 N 008 46 37.2 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
<b>KQ834</b>							
△ VIBAX	47 20 50.0 N 008 52 55.9 E						
	106° ⊖	5.1	FL 195 5500 ft MEA = 6000 ft				ACC Zurich {C, E} TWR/APP Dubendorf {D}
△ MD503	47 19 16.1 N 009 00 03.8 E						
	086° ⊖	6.1	FL 195 5500 ft MEA = 6000 ft				ACC Zurich {C, E} TWR/APP Dubendorf {D}
△ LS112	47 19 25.5 N 009 09 02.0 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑	
<b>KQ861</b>							
△ LS105	46 55 44.0 N 007 28 44.9 E						
	253°	5.0	FL 195 <u>5500 ft</u> MEA = 6000 ft				ACC Zurich {C, E} TWR/APP Berne {D}
△ LS561	46 54 28.4 N 007 21 41.4 E						
	253°	4.1	FL 195 <u>4500 ft</u> MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Berne {D}
△ ASBER	46 53 25.9 N 007 15 52.8 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
<b>KQ862</b>								
△	FRIBOURG VOR/ DME (FRI)	46 46 39.3 N 007 13 24.6 E						
		$\frac{011^\circ}{191^\circ}$	4.0	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4141 ft	Even	Even	ACC Geneva {C, E}
△	LS562	46 50 32.0 N 007 14 49.4 E						
		$\frac{011^\circ}{191^\circ}$	3.0	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 3908 ft	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	ASBER	46 53 25.9 N 007 15 52.8 E						
		$\frac{040^\circ}{220^\circ}$	3.7	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 3908 ft	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	AMRID	46 56 05.4 N 007 19 32.8 E						
		$\frac{021^\circ}{201^\circ}$	5.1	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 4075 ft	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	BIRKI	47 00 46.6 N 007 22 34.8 E						
		$\frac{062^\circ}{242^\circ}$	10.5	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4075 ft	Even	Even	ACC Geneva {C, E} TWR/APP Berne {D}
△	MEBOX	47 05 10.4 N 007 36 33.5 E						
		$\frac{071^\circ}{251^\circ}$	8.9	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4387 ft	Even	Even	ACC Geneva {C, E} TWR/APP Berne {D}
△	UMTOP	47 07 38.9 N 007 49 06.2 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
<b>KQ864</b>								
△	ASBER	46 53 25.9 N 007 15 52.8 E						
		136° 316°	4.0	FL 195 4500 ft MEA = 5000 ft	MOCA = 3908 ft	Odd	Odd	APP Bern {C, E}
△	LS104	46 50 23.4 N 007 19 42.2 E						
		136° 316°	2.7	FL 195 5500 ft MEA = 6000 ft	MOCA = 4266 ft	Even	Even	APP Bern {C, E}
△	LS164	46 48 22.3 N 007 22 14.2 E						
		111° 291°	1.2	FL 195 5500 ft MEA = 6000 ft	MOCA = 4920 ft	Even	Even	APP Bern {C, E}
△	TUNNO	46 47 53.4 N 007 23 48.8 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits  MEA	Lateral limits  MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
		↓ ↑					
<b>KQ868</b>							
△ RAMOK	47 01 20.2 N 007 41 03.0 E						
	039°	8.4	FL 195 <u>5500 ft</u> MEA = 6000 ft				ACC Zurich {C, E} TWR/APP Berne {D}
△ UMTOP	47 07 38.9 N 007 49 06.2 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑	
<b>KY251</b>							
△ Gland NDB (GLA)	46 24 31.3 N 006 14 39.3 E						
	044°	4.7	FL 195 3500 ft MEA = 4000 ft	MOCA = 3159 ft	Even		ACC Geneva APP Geneva {C, E}
△ LS099	46 27 43.5 N 006 19 33.3 E						
	082°	5.1	FL 195 4000 ft MEA = 4000 ft	MOCA = 3655 ft	Even		ACC Geneva APP Geneva {C, E}
△ St-Prex VOR/DME (SPR)	46 28 07.3 N 006 26 53.0 E						
	086° 266°	11.4	FL 195 3500 ft MEA = 4000 ft	MOCA = 2530 ft	Even	Even	ACC Geneva {C, E}
△ LS100	46 28 14.5 N 006 43 22.4 E						
	030° 210°	17.9	FL 195 5500 ft MEA = 6000 ft	MOCA = 5043 ft	Even	Even	ACC Geneva {C, E}
△ LS103	46 43 11.2 N 006 57 39.1 E						
	069° 249°	11.4	FL 195 5500 ft MEA = 6000 ft	MOCA = 5043 ft	Even	Even	ACC Geneva {C, E}
△ FRIBOURG VOR/DME (FRI)	46 46 39.3 N 007 13 24.6 E						
	046° 226°	5.7	FL 195 5500 ft MEA = 6000 ft	MOCA = 4141 ft	Even	Even	ACC Geneva, Zurich {C, E}
△ LS104	46 50 23.4 N 007 19 42.2 E						
	046° 226°	8.2	FL 195 5500 ft MEA = 6000 ft	MOCA = 4336 ft	Even	Even	ACC Geneva, Zurich {C, E} TWR/APP Berne {D}
△ LS105	46 55 44.0 N 007 28 44.9 E						
	046° 227°	18.3	FL 195 5500 ft MEA = 6000 ft	MOCA = 4958 ft	Even	Even	ACC Geneva, Zurich {C, E} TWR/APP Berne {D}
△ UMTOP	47 07 38.9 N 007 49 06.2 E						
	088° 268°	12.3	FL 195 4500 ft MEA = 5000 ft	MOCA = 4485 ft	Odd	Odd	ACC Zurich {C, E}
△ ME103	47 07 27.9 N 008 07 05.1 E						
	079° 259°	10.3	FL 195 4500 ft MEA = 5000 ft	MOCA = 3734 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}
△ ME104	47 08 53.5 N 008 22 05.9 E						
	067° 247°	6.8	FL 195 4500 ft MEA = 5000 ft	MOCA = 3860 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}
△ ZC700	47 11 14.6 N 008 31 23.3 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits  MEA	Lateral limits  MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑	
	$\frac{081^\circ}{261^\circ}$	4.3	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 4095 ft	Odd	Odd	ACC Zurich {C, E}
△ OSNOG	47 11 42.5 N 008 37 36.1 E						
	$\frac{081^\circ}{261^\circ}$	6.9	FL 195 <u>4838 ft</u> MEA = 5000 ft	MOCA = 4838 ft	Odd	Odd	ACC Zurich {C, E}
△ LS110	47 12 26.8 N 008 47 38.1 E						
	$\frac{085^\circ}{265^\circ}$	6.4	FL 195 <u>4838 ft</u> MEA = 5000 ft	MOCA = 4838 ft	Odd	Odd	ACC Zurich {C, E}
△ LS111	47 12 41.6 N 008 57 01.1 E						
	$\frac{047^\circ}{228^\circ}$	10.6	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4973 ft	Even	Even	ACC Zurich {C, E}
△ LS112	47 19 25.5 N 009 09 02.0 E						
	$\frac{018^\circ}{198^\circ}$	5.7	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4973 ft	Even	Even	ACC Zurich {C, E}
△ DEGES	47 24 45.0 N 009 12 07.0 E						
	$\frac{040^\circ}{220^\circ}$	8.0	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 4134 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP St. Gallen Altenrhein {D}
△ SITOR	47 30 36.7 N 009 20 10.5 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑	
<b>KY252</b>							
△ ME104	47 08 53.5 N 008 22 05.9 E						
	123° 303°	3.1	FL 195 5500 ft MEA = 6000 ft	MOCA = 4000 ft	Even	Even	ACC Zurich {C, E} TWR/APP Emmen {D}
△ LS702	47 07 06.3 N 008 25 45.1 E						
	122° 302°	8.4	FL 195 5704 ft MEA = 6000 ft	MOCA = 5704 ft	Even	Even	ACC Zurich {C, E} TWR/APP Emmen {D}
△ LS201	47 02 15.9 N 008 35 42.6 E						
	173° 353°	6.3	FL 195 6632 ft MEA = 7000 ft	MOCA = 6632 ft	Odd	Odd	ACC Zurich {C, E}
△ LS202	46 56 00.8 N 008 36 23.1 E						
	173° 353°	3.0	FL 195 7928 ft MEA = 8000 ft	MOCA = 7928 ft	Even	Even	ACC Zurich {C, E}
△ LS203	46 53 01.4 N 008 36 42.4 E						
	156° 336°	3.6	FL 195 7960 ft MEA = 8000 ft	MOCA = 7960 ft	Even	Even	ACC Zurich {C, E}
△ LS204	46 49 40.6 N 008 38 37.5 E						
	167° 347°	3.0	FL 195 8598 ft MEA = 9000 ft	MOCA = 8598 ft	Odd	Odd	ACC Zurich {C, E}
△ LS205	46 46 45.0 N 008 39 20.8 E						
	202° 022°	5.4	FL 195 9632 ft MEA = 10000 ft	MOCA = 9632 ft	Even	Even	ACC Zurich {C, E}
△ LS206	46 41 51.5 N 008 36 05.3 E						
	186° 006°	2.9	FL 195 9782 ft MEA = 10000 ft	MOCA = 9782 ft	Even	Even	ACC Zurich {C, E}
△ LS207	46 38 59.9 N 008 35 25.1 E						
	208° 028°	4.1	FL 195 10500 ft MEA = 11000 ft	MOCA = 10465 ft	Odd	Odd	ACC Zurich {C, E}
△ LS208	46 35 30.7 N 008 32 22.2 E						
	153° 333°	2.9	FL 195 11500 ft MEA = 12000 ft	MOCA = 10673 ft	Even	Even	ACC Zurich {C, E}
△ LS209	46 32 52.6 N 008 34 03.6 E						
	111° 291°	3.1	FL 195 11500 ft MEA = 12000 ft	MOCA = 10495 ft	Even	Even	ACC Zurich {C, E}
△ LS210	46 31 37.9 N 008 38 10.8 E						
	111° 291°	7.6	FL 195 10500 ft MEA = 11000 ft	MOCA = 9350 ft	Odd	Odd	ACC Zurich {C, E}
△ LS211	46 28 33.8 N 008 48 17.4 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits  MEA	Lateral limits  MOCA	↓	↑	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑						
	$\frac{137^\circ}{317^\circ}$	9.0	FL 195 <u>8500 ft</u> MEA = 9000 ft	MOCA = 8351 ft	Odd	Odd	ACC Zurich {C, E}
△ LS212	46 21 39.2 N 008 56 39.3 E						
	$\frac{151^\circ}{332^\circ}$	9.2	FL 195 <u>6982 ft</u> MEA = 7000 ft	MOCA = 6982 ft	Odd	Odd	ACC Zurich {C, E}
△ LS213	46 13 22.8 N 009 02 21.2 E						
	$\frac{209^\circ}{029^\circ}$	8.0	FL 195 <u>6500 ft</u> MEA = 7000 ft	MOCA = 5692 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Locarno {D}
△ LS214	46 06 32.9 N 008 56 16.8 E						
	$\frac{187^\circ}{007^\circ}$	6.4	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 5153 ft	Even	Even	ACC Zurich {C, E} TWR/APP Locarno {D}
△ LUGAN	46 00 13.1 N 008 54 37.0 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
<b>KY253</b>								
△	LS201	47 02 15.9 N 008 35 42.6 E						
		$\frac{217^\circ}{037^\circ}$	7.6	FL 195 <u>6500 ft</u> MEA = 7000 ft	MOCA = 5903 ft			ACC Zurich {C, E}
△	LS301	47 08 14.0 N 008 42 41.3 E						
		$\frac{217^\circ}{037^\circ}$	4.1	FL 195 <u>5500 ft</u> MEA = 6000 ft	MOCA = 4950 ft			ACC Zurich APP Zurich {C, E}
△	LS302	47 11 25.4 N 008 46 25.9 E						
		$\frac{217^\circ}{037^\circ}$	1.3	FL 195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 4950 ft			ACC Zurich APP Zurich {C, E}
△	LS110	47 12 26.8 N 008 47 38.1 E						

Route Designator	Route Remarks (Optional)						
Name of significant points	Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist	Upper and Lower limits	Lateral limits	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑	(COP)	MEA	MOCA	↓	↑	
<b>KY256</b>							
△ UMTOP	47 07 38.9 N 00749 06.2 E						
	$\frac{051^\circ}{231^\circ}$	12.3	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E}
△ LS601	47 15 04.1 N 008 03 26.0 E						
	$\frac{077^\circ}{257^\circ}$	4.6	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E}
△ LS602	47 15 56.6 N 008 10 06.8 E						
	$\frac{072^\circ}{252^\circ}$	4.8	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E}
△ LS603	47 17 16.4 N 008 16 48.8 E						
	$\frac{115^\circ}{295^\circ}$	8.1	FL 195 4500 ft MEA = 5000 ft	MOCA = 3744 ft			ACC Zurich {C, E}
△ RONIX	47 13 34.5 N 008 27 25.2 E						
	$\frac{129^\circ}{309^\circ}$	3.6	FL 195 4500 ft MEA = 5000 ft	MOCA = 2970 ft			ACC Zurich {C, E} TWR/APP Emmen {D}
△ ZC700	47 11 14.6 N 008 31 23.3 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates				Direction of cruising levels		Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
<b>KY257</b>								
△	ME103	47 07 27.9 N 008 07 05.1 E						
		102° 282°	10.2	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS701	47 04 58.1 N 008 21 31.0 E						
		051° 232°	3.6	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS702	47 07 06.3 N 008 25 45.1 E						
		052° 232°	4.9	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS703	47 10 00.7 N 008 31 31.7 E						
		066° 246°	4.5	FL 195 4500 ft MEA = 5000 ft				ACC Zurich {C, E}
△	OSNOG	47 11 42.5 N 008 37 36.1 E						