

ENR 3.3 OTHER ROUTES**1. Low Flight Network (LFN) ATS Routes**

The operation on this network is subject to specific state authorization and access procedures by the national provider (see [ENR 1.1 - 4.6](#)).

The following tables describe the Low Flight Network for rotary wing aircraft that comply with the required navigational performance of **RNP 0.3**.

For speed restrictions refer to [ENR 6.4 - 1](#).

This network consists of low-level routes (KYxyz) and associated routes (KQxyz) to and from various landing sites and regions. Table of cruising levels ([ENR 1.7 - 5.3](#)) is not applicable to LFN.

2. Index of ENR 3.3 Route Tables - Low Flight Network (LFN) ATS Routes

Route Designator	Page
KQ811	ENR 3.3 - 2
KQ821	ENR 3.3 - 3
KQ831	ENR 3.3 - 4
KQ832	ENR 3.3 - 5
KQ833	ENR 3.3 - 6
KQ834	ENR 3.3 - 7
KQ861	ENR 3.3 - 8
KQ862	ENR 3.3 - 9
KQ864	ENR 3.3 - 10
KQ868	ENR 3.3 - 11
KY251	ENR 3.3 - 12
KY252	ENR 3.3 - 14
KY253	ENR 3.3 - 16
KY256	ENR 3.3 - 17
KY257	ENR 3.3 - 18

3. Low Flight Network (LFN) ATS Routes

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑		
KQ811								
△	LS103	46 43 11.2 N 006 57 39.1 E						
		273°	9.2	FL195 5500 ft MEA = 6000 ft	MOCA = 5100 ft	Even	ACC Geneva {C, E} TWR/APP Payerne {D}	
△	ETEKI	46 44 10.8 N 006 44 21.4 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates					Significant Point Remarks	
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑		
KQ821								
△	ME103	47 07 27.9 N 008 07 05.1 E						
		063°	15.2	FL195 <u>4500 ft</u> MEA = 5000 ft	MOCA = 3800 ft	Odd		ACC Zurich {C, E} TWR/APP Emmen {D}
△	RONIX	47 13 34.5 N 008 27 25.2 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑		
KQ831								
△	DEGES	47 24 45 N 009 12 07 E						
		233°	9.9	FL195 5600 ft MEA = 6000 ft	MOCA = 5600 ft	Even	ACC Zurich {C, E} TWR/APP Dubendorf, {D}	
△	MD503	47 19 16.1 N 009 00 03.8 E						

Route Designator		Route Remarks (Optional)							
Name of significant points		Significant point geographical coordinates						Significant Point Remarks	
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
		↓ — ↑		MEA		↓	↑		
KQ832									
△	LS111	47 12 41.6 N 008 57 01.1 E							
		014°	1.9	FL195 <u>4800 ft</u> MEA = 5000 ft	MOCA = 4800 ft	Odd		ACC Zurich {C, E} TWR/APP Dubendorf {D}	
△	MD505	47 14 30.6 N 008 57 49.1 E							

Route Designator		Route Remarks (Optional)							
Name of significant points		Significant point geographical coordinates						Significant Point Remarks	
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}		
	↓ — ↑				↓	↑			
KQ833									
△	LS110	47 12 26.8 N 008 47 38.1 E							
		307°	0.9	FL195 4900 ft MEA = 5000 ft	MOCA = 4900 ft	Odd		ACC Zurich {C, E} TWR/APP Dubendorf {D}	
△	MD516	47 13 02.2 N 008 46 37.2 E							

Route Designator		Route Remarks (Optional)							
Name of significant points		Significant point geographical coordinates						Significant Point Remarks	
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
		↓ — ↑				↓	↑		
KQ834									
△	VIBAX	47 20 50.0 N 008 52 55.9 E							
		105°	5.1	FL195 <u>5600 ft</u> MEA = 6000 ft	MOCA = 5600 ft	Even		ACC Zurich {C, E} TWR/APP Dubendorf {D}	
△	MD503	47 19 16.1 N 009 00 03.8 E							
		085°	6.1	FL195 <u>5600 ft</u> MEA = 6000 ft	MOCA = 5600 ft	Even		ACC Zurich {C, E} TWR/APP Dubendorf {D}	
△	LS112	47 19 25.5 N 009 09 02.0 E							

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
		↓ — ↑				↓	↑	
KQ861								
△	LS105	46 55 44.0 N 007 28 44.9 E						
		252°	5.0	FL195 5500 ft MEA = 6000 ft	MOCA = 4400 ft	Even		ACC Zurich {C, E} TWR/APP Berne {D}
△	LS561	46 54 28.4 N 007 21 41.4 E						
		252°	4.1	FL195 4600 ft MEA = 5000 ft	MOCA = 4600 ft	Odd		ACC Zurich {C, E} TWR/APP Berne {D}
△	ASBER	46 53 25.9 N 007 15 52.8 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
KQ862								
△	FRIBU	46 46 39.3 N 007 13 24.6 E						
		$\frac{011^\circ}{191^\circ}$	4.0	$\frac{\text{FL195}}{5500 \text{ ft}}$ <i>MEA = 6000 ft</i>	<i>MOCA = 4200 ft</i>	Even	Even	ACC Geneva {C, E}
△	LS562	46 50 32.0 N 007 14 49.4 E						
		$\frac{011^\circ}{191^\circ}$	3.0	$\frac{\text{FL195}}{4500 \text{ ft}}$ <i>MEA = 5000 ft</i>	<i>MOCA = 4000 ft</i>	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	ASBER	46 53 25.9 N 007 15 52.8 E						
		$\frac{040^\circ}{220^\circ}$	3.7	$\frac{\text{FL195}}{4500 \text{ ft}}$ <i>MEA = 5000 ft</i>	<i>MOCA = 4000 ft</i>	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	AMRID	46 56 05.4 N 007 19 32.8 E						
		$\frac{021^\circ}{201^\circ}$	5.1	$\frac{\text{FL195}}{4500 \text{ ft}}$ <i>MEA = 5000 ft</i>	<i>MOCA = 4100 ft</i>	Odd	Odd	ACC Geneva {C, E} TWR/APP Berne {D}
△	BIRKI	47 00 46.6 N 007 22 34.8 E						
		$\frac{062^\circ}{242^\circ}$	10.5	$\frac{\text{FL195}}{5500 \text{ ft}}$ <i>MEA = 6000 ft</i>	<i>MOCA = 4100 ft</i>	Even	Even	ACC Geneva {C, E} TWR/APP Berne {D}
△	MEBOX	47 05 10.4 N 007 36 33.5 E						
		$\frac{071^\circ}{251^\circ}$	8.9	$\frac{\text{FL195}}{5500 \text{ ft}}$ <i>MEA = 6000 ft</i>	<i>MOCA = 4400 ft</i>	Even	Even	ACC Geneva {C, E} TWR/APP Berne {D}
△	UMTOP	47 07 38.9 N 007 49 06.2 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
KQ864								
△	ASBER	46 53 25.9 N 007 15 52.8 E						
		136° 316°	4.0	FL195 4500 ft MEA = 5000 ft	MOCA = 4000 ft	Odd	Odd	APP Bern {C, E}
△	LS104	46 50 23.4 N 007 19 42.2 E						
		136° 316°	2.7	FL195 5500 ft MEA = 6000 ft	MOCA = 4300 ft	Even	Even	APP Bern {C, E}
△	LS164	46 48 22.3 N 007 22 14.2 E						
		111° 291°	1.2	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Even	APP Bern {C, E}
△	TUNNO	46 47 53.4 N 007 23 48.8 E						

Route Designator		Route Remarks (Optional)							
Name of significant points		Significant point geographical coordinates						Significant Point Remarks	
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
		↓ — ↑				↓	↑		
KQ868									
△	RAMOK	47 01 20.2 N 007 41 03.0 E							
		038°	8.4	FL195 5500 ft MEA = 6000 ft	MOCA = 4500 ft	Even		ACC Zurich {C, E} TWR/APP Berne {D}	
△	UMTOP	47 07 38.9 N 007 49 06.2 E							

Route Designator		Route Remarks (Optional)							
Name of significant points		Significant point geographical coordinates						Significant Point Remarks	
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
		↓ ↑				↓	↑		
KY251									
△	GLEND	46 24 31.3 N 006 14 39.2 E							
		044°	4.7	FL195 3500 ft MEA = 4000 ft	MOCA = 3200 ft	Even		ACC Geneva APP Geneva {C, E}	
△	LS099	46 27 43.5 N 006 19 33.3 E							
		082°	5.1	FL195 3700 ft MEA = 4000 ft	MOCA = 3700 ft	Even		ACC Geneva APP Geneva {C, E}	
△	SAPRE	46 28 07.3 N 006 26 53.0 E							
		086° 266°	11.4	FL195 3500 ft MEA = 4000 ft	MOCA = 2600 ft	Even	Even	ACC Geneva {C, E}	
△	LS100	46 28 14.5 N 006 43 22.4 E							
		030° 210°	17.9	FL195 5500 ft MEA = 6000 ft	MOCA = 5100 ft	Even	Even	ACC Geneva {C, E}	
△	LS103	46 43 11.2 N 006 57 39.1 E							
		069° 249°	11.4	FL195 5500 ft MEA = 6000 ft	MOCA = 5100 ft	Even	Even	ACC Geneva {C, E}	
△	FRIBU	46 46 39.3 N 007 13 24.6 E							
		046° 226°	5.7	FL195 5500 ft MEA = 6000 ft	MOCA = 4200 ft	Even	Even	ACC Geneva, Zurich {C, E}	
△	LS104	46 50 23.4 N 007 19 42.2 E							
		046° 226°	8.2	FL195 5500 ft MEA = 6000 ft	MOCA = 4400 ft	Even	Even	ACC Geneva, Zurich {C, E} TWR/APP Berne {D}	
△	LS105	46 55 44.0 N 007 28 44.9 E							
		046° 227°	18.3	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Even	ACC Geneva, Zurich {C, E} TWR/APP Berne {D}	
△	UMTOP	47 07 38.9 N 007 49 06.2 E							
		088° 268°	12.3	FL195 4500 ft MEA = 5000 ft	MOCA = 4500 ft	Odd	Odd	ACC Zurich {C, E}	
△	ME103	47 07 27.9 N 008 07 05.1 E							
		079° 259°	10.3	FL195 4500 ft MEA = 5000 ft	MOCA = 3800 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}	
△	ME104	47 08 53.5 N 008 22 05.9 E							
		067° 247°	6.8	FL195 4500 ft MEA = 5000 ft	MOCA = 3900 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}	
△	ZC700	47 11 14.6 N 008 31 23.3 E							
		081° 261°	4.3	FL195 4500 ft MEA = 5000 ft	MOCA = 4100 ft	Odd	Odd	ACC Zurich {C, E}	
△	OSNOG	47 11 42.5 N 008 37 36.1 E							

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
		↓ ↑				↓	↑	
		081° 261°	6.9	FL195 4900 ft MEA = 5000 ft	MOCA = 4900 ft	Odd	Odd	ACC Zurich {C, E}
△	LS110	47 12 26.8 N 008 47 38.1 E						
		085° 265°	6.4	FL195 4900 ft MEA = 5000 ft	MOCA = 4900 ft	Odd	Odd	ACC Zurich {C, E}
△	LS111	47 12 41.6 N 008 57 01.1 E						
		047° 228°	10.6	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Even	ACC Zurich {C, E}
△	LS112	47 19 25.5 N 009 09 02.0 E						
		018° 198°	5.7	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Even	ACC Zurich {C, E}
△	DEGES	47 24 45.0 N 009 12 07.0 E						
		040° 220°	8.0	FL195 4500 ft MEA = 5000 ft	MOCA = 4200 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP St. Gallen Altenrhein {D}
△	SITOR	47 30 36.7 N 009 20 10.5 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
KY252								
△	ME104	47 08 53.5 N 008 22 05.9 E						
		123° 303°	3.1	FL195 5500 ft MEA = 6000 ft	MOCA = 4000 ft	Even	Even	ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS702	47 07 06.3 N 008 25 45.1 E						
		122° 302°	8.4	FL195 5800 ft MEA = 6000 ft	MOCA = 5800 ft	Even	Even	ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS201	47 02 15.9 N 008 35 42.6 E						
		173° 353°	6.3	FL195 6700 ft MEA = 7000 ft	MOCA = 6700 ft	Odd	Odd	ACC Zurich {C, E}
△	LS202	46 56 00.8 N 008 36 23.1 E						
		173° 353°	3.0	FL195 8000 ft MEA = 8000 ft	MOCA = 8000 ft	Even	Even	ACC Zurich {C, E}
△	LS203	46 53 01.4 N 008 36 42.4 E						
		156° 336°	3.6	FL195 8000 ft MEA = 8000 ft	MOCA = 8000 ft	Even	Even	ACC Zurich {C, E}
△	LS204	46 49 40.6 N 008 38 37.5 E						
		167° 347°	3.0	FL195 8600 ft MEA = 9000 ft	MOCA = 8600 ft	Odd	Odd	ACC Zurich {C, E}
△	LS205	46 46 45.0 N 008 39 20.8 E						
		202° 022°	5.4	FL195 9700 ft MEA = 10000 ft	MOCA = 9700 ft	Even	Even	ACC Zurich {C, E}
△	LS206	46 41 51.5 N 008 36 05.3 E						
		186° 006°	2.9	FL195 9800 ft MEA = 10000 ft	MOCA = 9800 ft	Even	Even	ACC Zurich {C, E}
△	LS207	46 38 59.9 N 008 35 25.1 E						
		208° 028°	4.1	FL195 10500 ft MEA = 11000 ft	MOCA = 10500 ft	Odd	Odd	ACC Zurich {C, E}
△	LS208	46 35 30.7 N 008 32 22.2 E						
		153° 333°	2.9	FL195 11500 ft MEA = 12000 ft	MOCA = 10700 ft	Even	Even	ACC Zurich {C, E}
△	LS209	46 32 52.6 N 008 34 03.6 E						
		111° 291°	3.1	FL195 11500 ft MEA = 12000 ft	MOCA = 10500 ft	Even	Even	ACC Zurich {C, E}
△	LS210	46 31 37.9 N 008 38 10.8 E						
		111° 291°	7.6	FL195 10500 ft MEA = 11000 ft	MOCA = 9400 ft	Odd	Odd	ACC Zurich {C, E}
△	LS211	46 28 33.8 N 008 48 17.4 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
		↓ ↑				↓	↑	
		137° 317°	9.0	FL195 8500 ft MEA = 9000 ft	MOCA = 8400 ft	Odd	Odd	ACC Zurich {C, E}
△	LS212	46 21 39.2 N 008 56 39.3 E						
		151° 332°	9.2	FL195 7000 ft MEA = 7000 ft	MOCA = 7000 ft	Odd	Odd	ACC Zurich {C, E}
△	LS213	46 13 22.8 N 009 02 21.2 E						
		209° 029°	8.0	FL195 6500 ft MEA = 7000 ft	MOCA = 5700 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Locarno {D}
△	LS214	46 06 32.9 N 008 56 16.8 E						
		187° 007°	6.4	FL195 5500 ft MEA = 6000 ft	MOCA = 5200 ft	Even	Even	ACC Zurich {C, E} TWR/APP Locarno {D}
△	LUGAN	46 00 13.1 N 008 54 37.0 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
KY253								
△	LS201	47 02 15.9 N 008 35 42.6 E						
		036° 216°	7.6	FL195 6500 ft MEA = 7000 ft	MOCA = 6000 ft	Odd	Odd	ACC Zurich {C, E}
△	LS301	47 08 14.0 N 008 42 41.3 E						
		036° 216°	4.1	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Even	ACC Zurich APP Zurich {C, E}
△	LS302	47 11 25.4 N 008 46 25.9 E						
		036° 216°	1.3	FL195 4500 ft MEA = 5000 ft	MOCA = 3900 ft	Odd	Odd	ACC Zurich APP Zurich {C, E}
△	LS110	47 12 26.8 N 008 47 38.1 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification		Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
		↓ ↑				↓	↑	
KY256								
△	UMTOP	47 07 38.9 N 00749 06.2 E						
		050° 230°	12.3	FL195 4500 ft MEA = 5000 ft	MOCA = 4500 ft	Odd	Odd	ACC Zurich {C, E}
△	LS601	47 15 04.1 N 008 03 26.0 E						
		076° 256°	4.6	FL195 4500 ft MEA = 5000 ft	MOCA = 4100 ft	Odd	Odd	ACC Zurich {C, E}
△	LS602	47 15 56.6 N 008 10 06.8 E						
		071° 251°	4.8	FL195 4500 ft MEA = 5000 ft	MOCA = 3800 ft	Odd	Odd	ACC Zurich {C, E}
△	LS603	47 17 16.4 N 008 16 48.8 E						
		114° 294°	8.1	FL195 4500 ft MEA = 5000 ft	MOCA = 3800 ft	Odd	Odd	ACC Zurich {C, E}
△	RONIX	47 13 34.5 N 008 27 25.2 E						
		128° 308°	3.6	FL195 4500 ft MEA = 5000 ft	MOCA = 4000 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}
△	ZC700	47 11 14.6 N 008 31 23.3 E						

Route Designator		Route Remarks (Optional)						
Name of significant points		Significant point geographical coordinates						Significant Point Remarks
Route Segment RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑		
KY257								
△	ME103	47 07 27.9 N 008 07 05.1 E						
		101° 281°	10.2	FL195 4500 ft MEA = 5000 ft	MOCA = 3800 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS701	47 04 58.1 N 008 21 31.0 E						
		051° 231°	3.6	FL195 5500 ft MEA = 6000 ft	MOCA = 4000 ft	Even	Even	ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS702	47 07 06.3 N 008 25 45.1 E						
		051° 231°	4.9	FL195 4500 ft MEA = 5000 ft	MOCA = 4000 ft	Odd	Odd	ACC Zurich {C, E} TWR/APP Emmen {D}
△	LS703	47 10 00.7 N 008 31 31.7 E						
		065° 245°	4.5	FL195 5500 ft MEA = 6000 ft	MOCA = 4000 ft	Even	Even	ACC Zurich {C, E}
△	OSNOG	47 11 42.5 N 008 37 36.1 E						