

ENR 3.2 AREA NAVIGATION ROUTES

The ATS route network as published in ENR 3.2 may be used within the limits of the Swiss area of jurisdiction by appropriately equipped ACFT.

1. Index of ENR 3.2 Area Navigation Route Tables

Route Designator	Page	Route Designator	Page§	Route Designator	Page
L50	ENR 3.2 - 2	T721	ENR 3.2 - 34	Z1	ENR 3.2 - 53
L613	ENR 3.2 - 3	T734	ENR 3.2 - 35	Z2	ENR 3.2 - 54
L615	ENR 3.2 - 4	T901	ENR 3.2 - 36	Z6	ENR 3.2 - 55
L856	ENR 3.2 - 5			Z16	ENR 3.2 - 56
L995	ENR 3.2 - 6	Y1	ENR 3.2 - 37	Z32	ENR 3.2 - 57
		Y3	ENR 3.2 - 38	Z50	ENR 3.2 - 58
M858	ENR 3.2 - 7	Y5	ENR 3.2 - 39	Z57	ENR 3.2 - 59
		Y21	ENR 3.2 - 40	Z58	ENR 3.2 - 60
N491	ENR 3.2 - 8	Y51	ENR 3.2 - 41	Z59	ENR 3.2 - 61
N850	ENR 3.2 - 9	Y52	ENR 3.2 - 42	Z60	ENR 3.2 - 62
N851	ENR 3.2 - 10	Y55	ENR 3.2 - 43	Z61	ENR 3.2 - 63
N869	ENR 3.2 - 11	Y56	ENR 3.2 - 44	Z62	ENR 3.2 - 64
N871	ENR 3.2 - 12	Y58	ENR 3.2 - 45	Z63	ENR 3.2 - 65
		Y61	ENR 3.2 - 46	Z64	ENR 3.2 - 66
P131	ENR 3.2 - 13	Y100	ENR 3.2 - 47	Z65	ENR 3.2 - 67
		Y112	ENR 3.2 - 48	Z67	ENR 3.2 - 68
Q226	ENR 3.2 - 14	Y164	ENR 3.2 - 49	Z69	ENR 3.2 - 69
		Y170	ENR 3.2 - 50	Z83	ENR 3.2 - 70
T10	ENR 3.2 - 15	Y223	ENR 3.2 - 51	Z90	ENR 3.2 - 71
T14	ENR 3.2 - 16	Y224	ENR 3.2 - 52	Z119	ENR 3.2 - 72
T37	ENR 3.2 - 17			Z138	ENR 3.2 - 73
T40	ENR 3.2 - 18			Z141	ENR 3.2 - 74
T45	ENR 3.2 - 19			Z142	ENR 3.2 - 75
T50	ENR 3.2 - 20			Z143	ENR 3.2 - 76
T51	ENR 3.2 - 21			Z144	ENR 3.2 - 77
T52	ENR 3.2 - 22			Z162	ENR 3.2 - 78
T53	ENR 3.2 - 23			Z163	ENR 3.2 - 79
T103	ENR 3.2 - 24			Z170	ENR 3.2 - 80
T125	ENR 3.2 - 25			Z408	ENR 3.2 - 81
T163	ENR 3.2 - 26			Z424	ENR 3.2 - 82
T330	ENR 3.2 - 27			Z600	ENR 3.2 - 83
T345	ENR 3.2 - 28			Z601	ENR 3.2 - 84
T544	ENR 3.2 - 29			Z651	ENR 3.2 - 85
T625	ENR 3.2 - 30			Z652	ENR 3.2 - 86
T626	ENR 3.2 - 31			Z653	ENR 3.2 - 87
T627	ENR 3.2 - 32			Z669	ENR 3.2 - 88
T718	ENR 3.2 - 33			Z671	ENR 3.2 - 89

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
L50								
△ BANKO	45 49 12 N 007 03 17 E							
	344°	14.8 NM	FL305 FL185 MEA = FL190	MOCA = 16100 ft	Even		± 5 NM	ACC Geneva {C}
△ VALOR	46 03 35 N 006 58 26 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
L613								
▲ SUXAN	46 33 44 N 010 28 45 E							
	315° 135°	5.7 NM	FL660 15500 ft MEA = 16000 ft	MOCA = 14800 ft	Even	Odd	± 5 NM	ACC Zurich {C} (2)
△ VALAV	46 37 58 N 010 23 10 E							
	326° 146°	10.3 NM	FL660 15500 ft MEA = 16000 ft	MOCA = 14800 ft	Even	Odd	± 5 NM	ACC Zurich {C} (2)
△ RONAG	46 46 46 N 010 15 32 E							
	290° 109°	42.7 NM	FL660 14500 ft MEA = 15000 ft	MOCA = 13400 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ ARGAX	47 03 00 N 009 17 53 E							
	289° 109°	17.2 NM	FL660 11500 ft MEA = 12000 ft	MOCA = 10000 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ ELMUR	47 09 24 N 008 54 27 E							
	288° 107°	8.1 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 7600 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ MANEG	47 12 15 N 008 43 20 E							
	287° 107°	9.7 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5200 ft	Even	Odd	± 5 NM	ACC Zurich {C, D, E}
△ RIPUS	47 15 37 N 008 30 00 E							
	287° 107°	7.3 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 4600 ft	Even	Odd	± 5 NM	ACC Zurich {C, D, E}
△ DITON	47 18 08 N 008 20 00 E							
	287° 107°	29.0 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 5100 ft	Even	Odd	± 5 NM	ACC Zurich {C, D, E}
△ Hochwald DME (HOC)	47 28 00 N 007 39 56 E							
SUXAN - MANEG: CDR 1 H24 (2) Class D within FIR MILANO								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
L615								
▲ DINOX	46 40 00 N 006 07 11 E							
	128° 308°	18.1 NM	FL500 7800 ft MEA = 8000 ft	MOCA = 7800 ft	Odd	Even	± 5 NM	ACC Geneva REF: AIP France {C, D, E}
△ SAPRE	46 28 07 N 006 26 53 E							
	324°	14.0 NM	FL500 11000 ft MEA = 11000 ft	MOCA = 10300 ft		Even	± 5 NM	ACC Geneva REF: AIP France {C, D, E}
△ SOFIK	46 16 24 N 006 37 57 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
L856								
△ AKABI (FIR BDRY)	47 43 01 N 009 14 00 E							
	264°	5.1 NM	FL660 7500 ft MEA = 8000 ft	MOCA = 3300 ft	Even		± 5 NM	ACC Zurich {C}
△ ROMIR	47 42 47 N 009 06 28 E							
	264°	27.2 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 4100 ft	Even		± 5 NM	ACC Zurich {C}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	244° 064°	34.1 NM	FL660 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ Hochwald DME (HOC)	47 28 00 N 007 39 56 E							
From HOC to TRA northeastbound only available below FL195								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
L995								
△ PEPAG	45 59 02 N 009 04 17 E							
	321°	13.5 NM	FL195 FL135 MEA = FL140	MOCA = 9300 ft	Even		± 5 NM	ACC Milano ACC Zurich REF: AIP Italy {C,D} (2)
△ CANNE	46 10 00 N 008 52 52 E							
(2) only Class {C} within FIR Switzerland								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
M858								
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	166° 346°	14.5 NM	FL165 7500 ft MEA = 8000 ft	MOCA = 4500 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ RISLI	47 27 11 N 008 30 27 E							
	166° 346°	11.3 NM	FL165 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ BARIG	47 16 07 N 008 33 40 E							
	166° 346°	2.0 NM	FL165 8500 ft MEA = 9000 ft	MOCA = 4600 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ ASGED	47 14 09 N 008 34 14 E							
	166° 346°	7.3 NM	FL165 8500 ft MEA = 9000 ft	MOCA = 7400 ft	Odd	Even	± 5 NM	ACC Zurich {C, E}
△ AGERI	47 07 02 N 008 36 18 E							
	166° 346°	7.0 NM	FL165 8500 ft MEA = 9000 ft	MOCA = 8000 ft	Odd	Even	± 5 NM	ACC Zurich {C, E}
△ URNAS	47 00 08 N 008 38 18 E							
	166° 346°	25.5 NM	FL165 13500 ft MEA = 14000 ft	MOCA = 13100 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ LUKOM	46 35 06 N 008 45 31 E							
	165° 346°	25.6 NM	FL165 13500 ft MEA = 14000 ft	MOCA = 12600 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ CANNE	46 10 00 N 008 52 52 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
N491								
△ AMRUP		47 46 45 N 008 04 37 E						
	107°	15.5 NM	FL660 8000 ft MEA = 8000 ft	MOCA = 5800 ft	Odd		± 5 NM	ACC Zurich REF: AIP Germany {C, E}
△ Trasadingen DME (TRA)		47 41 22 N 008 26 13 E						
	108°	16.5 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Zurich {C}
Zurich East △ DVOR/DME (ZUE)		47 35 32 N 008 49 04 E						
	121°	19.0 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5600 ft	Odd		± 5 NM	ACC Zurich {C}
△ DEGES		47 24 45 N 009 12 07 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
N850								
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	171°	25.9 NM	$\frac{FL660}{13500\text{ ft}}$ <i>MEA = 14000 ft</i>	<i>MOCA = 4400 ft</i>	Odd		± 5 NM	ACC Zurich {C}
△ RIPUS	47 15 37 N 008 30 00 E							
	171°	13.3 NM	$\frac{FL660}{13500\text{ ft}}$ <i>MEA = 14000 ft</i>	<i>MOCA = 7700 ft</i>	Odd		± 5 NM	ACC Zurich {C}
△ GERSA	47 02 22 N 008 31 56 E							
	171°	26.1 NM	$\frac{FL660}{13500\text{ ft}}$ <i>MEA = 14000 ft</i>	<i>MOCA = 13400 ft</i>	Odd		± 5 NM	ACC Zurich {C}
△ SOSON	46 36 24 N 008 35 39 E							
	171°	10.3 NM	$\frac{FL660}{13500\text{ ft}}$ <i>MEA = 14000 ft</i>	<i>MOCA = 12100 ft</i>	Odd		± 5 NM	ACC Zurich {C}
△ DEGAD	46 26 10 N 008 37 06 E							
	171°	20.0 NM	$\frac{FL660}{13500\text{ ft}}$ <i>MEA = 14000 ft</i>	<i>MOCA = 11700 ft</i>	Odd		± 5 NM	ACC Zurich {C} (2)
△ ODINA	46 06 16 N 008 39 54 E							
(2) Class G within FIR MILANO								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
N851								
▲ ABESI		46 09 35 N 009 02 34 E						
	352°	15.1 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 11400 ft	Even		± 5 NM	ACC Zurich REF: AIP Italy {C}
△ UTAVO		46 24 38 N 009 00 33 E						
	352°	11.7 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 13300 ft	Even		± 5 NM	ACC Zurich {C}
△ PIXOS		46 36 19 N 008 58 59 E						
	352°	17.1 NM	FL660 14000 ft MEA = 14000 ft	MOCA = 14000 ft	Even		± 5 NM	ACC Zurich {C}
△ SOPER		46 53 22 N 008 56 40 E						
	352°	16.1 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 12100 ft	Even		± 5 NM	ACC Zurich {C}
△ ELMUR		47 09 24 N 008 54 27 E						
	352°	8.0 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 7200 ft	Even		± 5 NM	ACC Zurich {C}
△ ROLSA		47 17 23 N 008 53 21 E						
	016°	9.6 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5500 ft	Even		± 5 NM	ACC Zurich {C}
△ KUDIS		47 26 28 N 008 58 01 E						
	016° 196°	17.3 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5300 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ ROMIR		47 42 47 N 009 06 28 E						
	003° 183°	4.7 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 3800 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ VEDOK (FIR BDRY)		47 47 24 N 009 07 14 E						
ABESI - KUDIS: CDR 1 H24 By ATC: Alternative route via Z651 and Z138 From VEDOK to KUDIS southbound only available below FL195								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
N869								
△ NATOR	48 10 12 N 008 19 17 E							
	206°	59.0 NM	FL660 FL105 MEA = FL110	MOCA = 6300 ft	Odd		± 5 NM	UAC Karlsruhe ACC Zurich {C, D}
△ OLBEN	47 18 16 N 007 37 46 E							
	229°	13.5 NM	FL660 10500 ft MEA = 11000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Zurich {C, D}
△ LUTIX	47 09 54 N 007 22 14 E							
	229°	10.4 NM	FL660 10500 ft MEA = 11000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Zurich {C, D}
△ BENOT	47 03 28 N 007 10 22 E							
	228°	14.0 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Geneva {C, D, E}
△ NEMOS	46 54 43 N 006 54 24 E							
	228°	17.6 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5500 ft	Odd		± 5 NM	ACC Geneva {C, E}
△ VEROX	46 43 39 N 006 34 24 E							
	227°	38.4 NM	FL500 FL095 MEA = FL100	MOCA = 7300 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ MILPA	46 18 09 N 005 52 47 E							
OLBEN - MILPA: CDR 1 H24 By ATC: Alternative route via N850 - TRA - Z669								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
N871								
▲ MOLUS		46 26 38 N 006 40 46 E						
	048°	10.9 NM	FL500 9500 ft MEA = 10000 ft	MOCA = 8100 ft	Even		± 5 NM	ACC Geneva {C, E}
△ SOSAL		46 33 29 N 006 53 04 E						
	048°	20.5 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 8100 ft	Even		± 5 NM	ACC Geneva {C, E}
△ TELNO		46 46 19 N 007 16 15 E						
	048°	7.6 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 6900 ft	Even		± 5 NM	ACC Geneva {C, E}
△ KORED		46 51 02 N 007 24 51 E						
	048°	14.0 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5300 ft	Even		± 5 NM	ACC Zurich {C, E}
△ KONOL		46 59 43 N 007 40 51 E						
	049°	13.6 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5400 ft	Even		± 5 NM	ACC Zurich {C, E}
△ BERSU		47 08 08 N 007 56 29 E						
	055°	3.4 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 5200 ft	Even		± 5 NM	ACC Zurich {C}
△ SUREP		47 09 55 N 008 00 39 E						
	055°	15.5 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 4700 ft	Even		± 5 NM	ACC Zurich {C}
△ DITON		47 18 08 N 008 20 00 E						
	076°	36.0 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 5700 ft	Odd		± 5 NM	ACC Zurich {C}
△ DEGES		47 24 45 N 009 12 07 E						
	088°	18.3 NM	FL660 10500 ft MEA = 11000 ft	MOCA = 6600 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ GAMSA		47 24 30 N 009 39 07 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
P131								
△ RESIA	46 28 42 N 010 02 36 E							
	137° 317°	25.3 NM	FL195 FL165 MEA = FL170	MOCA = 14000 ft	Odd	Even	± 5 NM	ACC Padova ACC Zurich REF: AIP Italy {C,D}
△ ATPED	46 09 15 N 010 25 49 E							
RESIA - ATPED: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Q226								
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E							
	180°	18.1 NM	FL195 FL145 MEA = FL150	MOCA = 7900 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ RUMIL	45 51 43 N 005 58 53 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T10								
△ VEBIT	47 16 07 N 008 00 21 E							
	275°	15.5 NM	FL660 5700 ft MEA = 6000 ft	MOCA = 5700 ft	Even		± 5 NM	ACC Zurich APP Zurich {C, D, E}
△ OLBEN	47 18 16 N 007 37 46 E							
	285°	20.4 NM	FL660 7500 ft MEA = 8000 ft	MOCA = 5800 ft	Even		± 5 NM	ACC Zurich APP Bâle ACC Reims {C, D, E}
△ LUMEL	47 24 26 N 007 09 14 E							
	281°	20.6 NM	FL500 14500 ft MEA = 15000 ft	MOCA = 4600 ft	Even		± 5 NM	APP Bâle ACC REIMS > FL195 REF: AIP France {C, D}
△ TORPA	47 28 46 N 006 39 31 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T14								
△ LASUN		47 24 51 N 007 32 15 E						
	266°	15.6 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 4800 ft	Even		± 5 NM	ACC Zurich {C, E}
△ LUMEL		47 24 26 N 007 09 14 E						
	265°	9.5 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 4400 ft	Even		± 5 NM	ACC Zurich {C, E}
△ ARNOT		47 24 08 N 006 55 12 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
T37								
▲ KOVAR	46 23 31 N 005 49 01 E							
	149° 329°	15.7 NM	FL500 7900 ft MEA = 8000 ft	MOCA = 7900 ft	Odd	Even	± 5 NM	ACC Geneva REF: AIP France {C} (2)
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E							
	113° 293°	14.0 NM	FL195 9900 ft MEA = 10000 ft	MOCA = 9900 ft	Odd	Even	± 5 NM	ACC Geneva REF: AIP France {C} (2)
△ EMGUT	46 03 56 N 006 18 19 E							
(2) within FIR Switzerland; outside REF: AIP France								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T40								
△ LISMO	46 52 14 N 005 46 41 E							
	113° 293°	43.3 NM	FL195 6503 ft MEA = 7000 ft	MOCA = 6200 ft	Odd	Even	± 5 NM	ACC Geneva REF: AIP France {C, D, E} (2)
△ REVLI	46 35 11 N 006 44 36 E							
LISMO - REVLI: Only by ATC H24 (2) within FIR Switzerland; outside REF: AIP France								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T45								
△ VENAT	46 14 39 N 006 35 48 E							
	031°	22.3 NM	FL500 12500 ft MEA = 13000 ft	MOCA = 9500 ft	Even		± 5 NM	ACC Geneva REF: AIP France {C}
△ SOSAL	46 33 29 N 006 53 04 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
T50									
△ VEBIT	47 16 07 N 008 00 21 E								
	245°	12.4 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 4400 ft	Odd		± 5 NM	ACC Zurich {C, E}	
△ ROTOS	47 11 24 N 007 43 31 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T51								
△ VEBIT		47 16 07 N 008 00 21 E						
	292°	7.5 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 4200 ft	Even		± 5 NM	ACC Zurich {C, D, E}
△ DANZE		47 19 16 N 007 50 17 E						
	292°	13.5 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 5400 ft	Even		± 5 NM	ACC Zurich {C, D, E}
△ LASUN		47 24 51 N 007 32 15 E						
	284°	33.9 NM	FL195 11500 ft MEA = 12000 ft	MOCA = 5700 ft	Even		± 5 NM	ACC Zurich APP Bâle ACC Reims REF: AIP France {C, D, E}
△ Hericourt NDB (HR)		47 33 42 N 006 43 56 E						
BLW FL145: Bâle APP within Bâle CTA part 1								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T52								
△ VEBIT		47 16 07 N 008 00 21 E						
	272°	29.7 NM	FL095 <u>6500 ft</u> <i>MEA = 7000 ft</i>	<i>MOCA = 5900 ft</i>	Even		± 5 NM	ACC Zurich {C, E}
△ BALIR		47 18 30 N 007 16 53 E						
	316°	7.9 NM	FL095 <u>6500 ft</u> <i>MEA = 7000 ft</i>	<i>MOCA = 5700 ft</i>	Even		± 5 NM	ACC Zurich {C, E}
△ LUMEL		47 24 26 N 007 09 14 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑	(COP)	MEA	MOCA	↓	↑		
T53								
△ VEBIT	47 16 07 N 008 00 21 E							
	090°	10.2 NM	FL660 <u>6500 ft</u> MEA = 7000 ft	MOCA = 4700 ft	Even		± 5 NM	ACC Zurich {C, E}
△ OBEDU	47 15 29 N 008 15 18 E							
	091°	8.0 NM	FL660 <u>8500 ft</u> MEA = 9000 ft	MOCA = 7700 ft	Even		± 5 NM	ACC Zurich {C, E}
△ OMIDO	47 14 58 N 008 27 03 E							
	150°	5.7 NM	FL660 <u>8500 ft</u> MEA = 9000 ft	MOCA = 7700 ft	Even		± 5 NM	ACC Zurich {C, E}
△ ARTAG	47 09 52 N 008 30 50 E							
	171°	7.6 NM	FL660 <u>8500 ft</u> MEA = 9000 ft	MOCA = 7700 ft	Even		± 5 NM	ACC Zurich {C, E}
△ GERSA	47 02 22 N 008 31 56 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T103								
△ DITON	47 18 08 N 008 20 00 E							
	069°	27.1 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 5500 ft	Odd		± 5 NM	ACC Zurich {C}
△ KUDIS	47 26 28 N 008 58 01 E							
	069°	29.2 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5000 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ NUNRI	47 35 12 N 009 39 09 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T125								
△ KONOL	46 59 43 N 007 40 51 E							
	037°	14.3 NM	FL195 5500 ft MEA = 6000 ft	MOCA = 5400 ft	Even		± 5 NM	APP Bern {C, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							
	020° 200°	12.4 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4500 ft	Even	Odd	± 5 NM	APP Zurich {C, E}
△ EKTUM	47 22 08 N 008 01 28 E							
	053° 234°	24.9 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Even	Odd	± 5 NM	APP Zurich {C, E}
△ ENONO	47 35 53 N 008 32 03 E							
	089° 269°	11.5 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4200 ft	Even	Odd	± 5 NM	APP Zurich {C}
Zurich East △ VOR/DME (ZUE)	47 35 32 N 008 49 04 E							
	055° 235°	13.8 NM	FL660 5500 ft MEA = 6000 ft	MOCA = 4200 ft	Even	Odd	± 5 NM	ACC/APP Zurich {C, E}
△ ROMIR	47 42 47 N 009 06 28 E							
WIL - ZUE: CDR 1 H24 By ATC: Alternative route via T625								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T163								
△ LUTIX	47 09 54 N 007 22 14 E							
	261°	14.6 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 6000 ft		Even	± 5 NM	ACC Zurich {C}
△ ROTOS	47 11 24 N 007 43 31 E							
	252°	25.8 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 4700 ft		Even	± 5 NM	ACC Zurich {C}
△ DITON	47 18 08 N 008 20 00 E							
	045°	26.3 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 4700 ft	Even		± 5 NM	ACC Zurich {C}
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E							
	012°	12.0 NM	FL660 FL245		Even		± 5 NM	ACC Zurich {C}
△ SONOM (UIR BDRY)	47 47 03 N 008 53 46 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T330								
▲ MOLUS	46 26 38 N 006 40 46 E							
	333°	41.4 NM	FL500 FL125 MEA = FL130	MOCA = 8100 ft	Even		± 5 NM	ACC Geneva REF: AIP France {C, D}
△ GILIR	47 03 48 N 006 14 21 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T345								
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E							
	131°	19.6 NM	FL195 <u>10600 ft</u> MEA = 11000 ft	MOCA = 10600 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C, D, E}
△ ODIKI	45 56 32 N 006 20 37 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ ↑				↓	↑			
T544									
▲ TOKDO	46 01 30 N 005 42 40 E								
	235°	14.7 NM	FL195 7900 ft MEA = 8000 ft	MOCA = 7900 ft		Odd	± 5 NM	REF: AIP France {C} (3)	
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E								
	043° 224°	8 NM	FL095 6500 ft MEA = 7000 ft	MOCA = 6300 ft	Even	Odd	± 5 NM	ACC Geneva {C} (4)	
△ GEVEA	46 15 14 N 006 07 56 E								
	044° 224°	10 NM	FL095 6500 ft MEA = 7000 ft	MOCA = 5800 ft	Even	Odd	± 5 NM	ACC Geneva {C} (4)	
△ PETAL	46 22 05 N 006 18 01 E								
	042° 222°	9 NM	FL095 6500 ft MEA = 7000 ft	MOCA = 4700 ft	Even	Odd	± 5 NM	ACC Geneva {C} (4)	
△ SAPRE	46 28 07 N 006 26 53 E								
	057° 237°	14.1 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4700 ft	Even	Odd	± 5 NM	ACC Geneva {C} (4)	
△ REVLI	46 35 11 N 006 44 36 E								
	056° 236°	11.0 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 5500 ft	Even	Odd	± 5 NM	ACC Geneva {C, E} (4)	
△ ROMOM	46 40 52 N 006 58 14 E								
	058° 238°	11.9 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 7300 ft	Even	Odd	± 5 NM	ACC Geneva {C, E} (4)	
△ FRIBU	46 46 39 N 007 13 25 E								
	046° 227°	36.9 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 7100 ft	Even	Odd	± 5 NM	ACC Geneva {C, D, E} (2)	
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E								
	214°	6.8 NM	FL095 6500 ft MEA = 7000 ft	MOCA = 4500 ft		Odd	± 5 NM	APP Zurich APP Bern {C, E}	
△ VEBIT	47 16 07 N 008 00 21 E								
(2) {D} within Bern TMA									
(3) within FIR Switzerland; outside REF: AIP France									
(4) {C} within TMA Geneva									

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
T625								
△ ROMIR	47 42 47 N 009 06 28 E							
	196° 016°	24.0 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 5800 ft	Odd	Even	± 5 NM	APP Zurich {C, D}
△ SUBEX	47 20 07 N 008 54 45 E							
	254° 074°	42.2 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 5500 ft	Odd	Even	± 5 NM	APP Zurich {C, D, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							
	264° 084°	12.2 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Even	Odd	± 5 NM	ACC Zurich APP Bern {C, E}
△ OSKUP	48 10 07 N 007 36 33 E							
	279° 099°	20.8 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 6400 ft	Even	Odd	± 5 NM	APP Bern {E}
△ DEKAM	47 14 24 N 007 06 46 E							
ROMIR - WIL: Only by ATC Alternative route for T125								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T626								
▲ Hericourt NDB (HR)	47 33 42 N 006 43 56 E							
	129°	16.2 NM	FL195 FL085 MEA = FL090	MOCA = 6900 ft	Odd		± 5 NM	APP Bâle ACC Zurich REF: AIP France {C, D, E}
△ DOUCI	47 23 08 N 007 02 03 E							
	131°	19.1 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Zurich APP Bern {C, E}
△ LUTIX	47 09 54 N 007 22 14 E							
	086°	9.8 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Zurich APP Bern {C, E}
△ OSKUP	47 10 07 N 007 36 33 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑		MEA	MOCA	↓	↑		
T627								
△ LUTIX		47 09 54 N 007 22 14 E						
	143°	4.4 NM	FL195 6000 ft MEA = 6000 ft	MOCA = 6000 ft	Odd		± 5 NM	ACC Zurich APP Bern {C, D, E}
△ KOPPI		47 06 15 N 007 25 55 E						
	200°	5.9 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Zurich APP Bern {C, D, E}
△ BIRKI		47 00 47 N 007 22 35 E						
	222°	4.9 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 5000 ft	Odd		± 5 NM	ACC Zurich APP Bern {C, D, E}
△ ULMES		46 57 18 N 007 17 33 E						
LUTIX - ULMES: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T718								
△ ELMUR	47 09 24 N 008 54 27 E							
	326°	37.3 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 8000 ft	Even		± 5 NM	ACC Zurich {C, D, E}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	303°	24.3 NM	FL245 8000 ft MEA = 8000 ft	MOCA = 6300 ft	Even		± 5 NM	ACC Zurich ACC Langen REF: AIP Germany {C, E}
△ ALINE	47 55 28 N 007 56 47 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑	(COP)	MEA	MOCA	↓	↑			
T721									
△ RILAX	47 56 34 N 008 30 49 E								
	147°	24.4 NM	FL235 6500 ft MEA = 7000 ft	MOCA = 4600 FT	Odd		± 5 NM	ACC Zurich APP Zurich REF: AIP Germany {C, E}	
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E								

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
T734									
△ RONIX	47 13 34 N 008 27 25 E								
	175°	27.8 NM	FL245 4500 ft MEA = 5000 ft	MOCA = 4400 ft		Odd	± 5 NM	ACC Zurich {C, E}	
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E								
	063°	13.1 NM	FL660 6500 ft MEA = 7000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Zurich REF: AIP Germany {C, E}	
△ SONGI	47 46 40 N 008 43 55 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
T901								
△ SUREP 47 09 55 N 008 00 39 E								
	097°	4.4 NM	FL295 6500 ft MEA = 7000 ft	MOCA = 4100 ft		Even	± 5 NM	MAX IAS 180kts ACC Zurich APP Bern {C, E}
Willisau △ DVOR/DME 47 10 42 N 007 54 21 E (WIL)								
	322° 142°	5.1 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 4100 ft	Odd	Even	± 5 NM	MAX IAS 180kts ACC Zurich APP Bern {C, E}
△ NEMAG 47 14 53 N 007 50 06 E								
	254° 074°	4.5 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5200 ft	Odd	Even	± 5 NM	MAX IAS180kts ACC Zurich APP Bern {C, D, E}
△ ARVAN 47 13 53 N 007 43 41 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y1								
△ MILPA	46 18 09 N 005 52 47 E							
	105°	10.9 NM	FL500 FL165 MEA = FL170	MOCA = 7600 ft	Odd		± 5 NM	ACC Geneva REF: AIP France
△ GEVEA	46 15 14 N 006 07 56 E							
	105°	37.0 NM	FL500 FL165 MEA = FL170	MOCA = 13700 ft	Odd		± 5 NM	ACC Geneva REF: AIP France
△ VALOR	46 03 35 N 006 58 26 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y3								
△ ELBEG	47 41 49 N 007 44 58 E							
	131°	16.5 NM	FL105 6500 ft MEA = 7000 ft	MOCA = 5100 ft	Odd		± 5 NM	APP Zurich REF: AIP Germany {C, D, E}
△ GIPOL	47 30 19 N 008 02 27 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y5								
△ BARIG	47 16 07 N 008 33 40 E							
	256° 075°	27.3 NM	FL165 7500 ft MEA = 8000 ft	MOCA = 4700 ft	Odd	Even	± 5 NM	APP Zurich {C, D, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y21								
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E							
	144°	20.4 NM	FL500 FL115 MEA = FL120	MOCA = 9500 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C, D}
△ ESAPI	45 53 24 N 006 17 25 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
Y51								
△ ASSEQ	46 13 24 N 006 30 57 E							
	346° 166°	15.0 NM	FL500 FL105 MEA = FL110	MOCA = 8800 ft	Even	Odd	± 5 NM	ACC Geneva REF: AIP France {C}
△ SAPRE	46 28 07 N 006 26 53 E							
	001° 181°	6.0 NM	FL195 FL085 MEA = FL090	MOCA = 6200 ft	Even	Odd	± 5 NM	ACC Geneva {C}
△ KONIL	46 34 06 N 006 27 30 E							
	014° 194°	10.1 NM	FL195 FL085 MEA = FL090	MOCA = 6900 ft	Even	Odd	± 5 NM	ACC Geneva {C}
△ LORBU	46 43 46 N 006 31 44 E							
	009° 189°	11.0 NM	FL195 FL085 MEA = FL090	MOCA = 6900 ft	Even	Odd	± 5 NM	ACC Geneva {C, E}
△ FLORY	46 54 31 N 006 35 06 E							
	036° 216°	13.5 NM	FL195 FL085 MEA = FL090	MOCA = 6200 ft	Even	Odd	± 5 NM	ACC Geneva {C, E}
△ PALLU	47 05 00 N 006 47 36 E							
	051° 231°	16.1 NM	FL195 FL085 MEA = FL090	MOCA = 7000 ft	Even	Odd	± 5 NM	ACC Geneva {C, E}
△ DEKAM	47 14 24 N 007 06 46 E							
	056° 236°	8.0 NM	FL195 FL075 MEA = FL080	MOCA = 5800 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ BALIR	47 18 30 N 007 16 53 E							
	056° 236°	4.0 NM	FL195 FL075 MEA = FL080	MOCA = 5700 ft	Even	Odd	± 5 NM	ACC Zurich {C, D, E}
△ LEPLA	47 20 36 N 007 21 58 E							
	056° 236°	8.2 NM	FL195 FL105 MEA = FL110	MOCA = 5700 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ LASUN	47 24 51 N 007 32 15 E							
	056° 236°	6.1 NM	FL195 FL105 MEA = FL110	MOCA = 5300 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ Hochwald DME (HOC)	47 28 00 N 007 39 56 E							
SAPRE - BALIR: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y52								
△ GOLEB	46 03 06 N 006 33 45 E							
	303°	3.7 NM	FL265 13500 ft MEA = 14000 ft	MOCA = 9900 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {D}
△ VALBU	46 05 10 N 006 29 23 E							
	303°	7.0 NM	FL265 10600 ft MEA = 11000 ft	MOCA = 9200 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C, D}
△ SUVEL	46 09 05 N 006 21 04 E							
	303°	4.9 NM	FL265 10600 ft MEA = 11000 ft	MOCA = 8000 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C, D}
△ BIVLO	46 11 50 N 006 15 14 E							
	226°	10.8 NM	FL265 8500 ft MEA = 9000 ft	MOCA = 8000 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ SALEV	46 04 26 N 006 03 57 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y55								
△ SOVAD	46 20 15 N 006 02 54 E							
	143°	6.1 NM	FL195 FL095 MEA = FL100	MOCA = 7200 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ GEVEA	46 15 14 N 006 07 56 E							
	192°	11.2 NM	FL195 FL085 MEA = FL090	MOCA = 6300 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ SALEV	46 04 26 N 006 03 57 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y56								
△ FRIBU	46 46 39 N 007 13 25 E							
	226°	64 NM	FL195 FL105 MEA = FL110	MOCA = 8200 ft	Odd		± 5 NM	ACC Geneva {C}
△ SALEV	46 04 26 N 006 03 57 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
Y58									
△ NEMOS	46 54 43 N 006 54 24 E								
	199°	16.5 NM	FL265 9500 ft MEA = 10000 ft	MOCA = 5100 ft	Odd		± 5 NM	ACC Geneva {C, E}	
△ VADAR	46 39 26 N 006 45 13 E								
	225°	17.0 NM	FL265 9500 ft MEA = 10000 ft	MOCA = 4700 ft	Odd		± 5 NM	ACC Geneva {C, E}	
△ SAPRE	46 28 07 N 006 26 53 E								
	224°	18.4 NM	FL265 7800 ft MEA = 8000 ft	MOCA = 4900 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}	
△ GEVEA	46 15 14 N 006 07 56 E								
	192°	11.2 NM	FL265 7800 ft MEA = 8000 ft	MOCA = 6300 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}	
△ SALEV	46 04 26 N 006 03 57 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y61								
△ SOSON	46 36 24 N 008 35 39 E							
	098° 278°	6.9 NM	FL245 FL155 MEA = FL160	MOCA = 12600 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ LUKOM	46 35 06 N 008 45 31 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y100								
△ UMTEX	47 50 15 N 009 37 27 E							
	257°	48.9 NM	FL660 <u>6000 ft</u> MEA = 6000 ft	MOCA = 4600 ft	Even		± 5 NM	UAC Karlsruhe ACC Munchen ACC Zurich REF: AIP Germany {C, E}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	212°	37.5 NM	FL245 <u>6500 ft</u> MEA = 7000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Zurich APP Zurich {C, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y112								
△ RAVED	47 43 45 N 009 40 10 E							
	257°	82.9 NM	FL660 FL245		Even		± 5 NM	ACC Zurich REF: AIP Germany {C}
△ Hochwald DME (HOC)	47 28 00 N 007 39 56 E							
	276° 096°	38.4 NM	FL195 FL085 MEA = FL090	MOCA = 5000 ft	Even	Odd	± 5 NM	APP Bâle ACC Zurich REF: AIP France {C, D}
△ Hericourt NDB (HR)	47 33 42 N 006 43 56 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y164								
△ MOPAN	48 14 47 N 008 09 16 E							
	198°	60.4 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 6300 ft	Odd		± 5 NM	ACC Zurich REF: AIP Germany {C}
△ OLBEN	47 18 16 N 007 37 46 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y170								
△ ABREG (FIR BDRY)	46 18 25 N 009 33 05 E							
	344°	45.8 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 13300 ft	Even		± 5 NM	ACC Zurich {C, E}
△ ARGAX	47 03 00 N 009 17 53 E							
	347° 167°	22.1 NM	FL660 12500 ft MEA = 13000 ft	MOCA = 10000 ft	Even	Odd	± 5 NM	ACC Zurich {C, E}
△ DEGES	47 24 45 N 009 12 07 E							
	345°	18.4 NM	FL660 12500 ft MEA = 13000 ft	MOCA = 4900 ft	Even		± 5 NM	ACC Zurich {C}
△ ROMIR	47 42 47 N 009 06 28 E							
ABREG - ROMIR: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y223								
△ VENAT	46 14 39 N 006 35 48 E							
	122°	19 NM	FL500 FL165 MEA = FL170	MOCA = 13700 ft	Even		± 5 NM	ACC Geneva {C}
△ VALOR	46 03 35 N 006 58 26 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Y224								
△ MOBLO	45 48 35 N 006 43 22 E							
	032°	18 NM	FL500 17500 ft MEA = 18000 ft	MOCA = 17500 ft	Even		± 5 NM	ACC Geneva {C}
△ VALOR	46 03 35 N 006 58 26 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z1								
△ DEGES	47 24 45 N 009 12 07 E							
	057°	9.4 NM	FL660 7500 ft MEA = 8000 ft	MOCA = 5400 ft	Even		± 5 NM	ACC Zurich {C, E}
△ ROMGA	47 29 26 N 009 24 13 E							
	015°	6.1 NM	FL660 7500 ft MEA = 8000 ft	MOCA = 5300 ft	Even		± 5 NM	ACC Zurich {C, E}
△ BODAN	47 35 15 N 009 27 05 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
Z2									
△ DEGES	47 24 45 N 009 12 07 E								
	074°	16.6 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 6000 ft	Odd		± 5 NM	ACC Zurich {C, E}	
△ DORAP (FIR BDRY)	47 28 22 N 009 36 04 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z6								
△ DEGES	47 24 45 N 009 12 07 E							
	057°	21.1 NM	FL660 8000 ft MEA = 8000 ft	MOCA = 5400 ft	Odd		± 5 NM	REF: AIP Germany ACC Zurich {C, E}
△ NUNRI	47 35 12 N 009 39 09 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑		MEA		↓	↑		
Z16								
△ Passeiry DVOR/ DME (PAS)	46 09 49 N 006 00 00 E							
	209° 029°	19.7 NM	FL195 7900 ft MEA = 8000 ft	MOCA = 7900 ft	Odd	Even	± 5 NM	ACC Geneva ACC Marseille REF: AIP France {C, D}
△ Chambéry VOR/ DME (CBY)	45 52 55 N 005 45 26 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z32								
△ MOREG	46 23 35 N 006 00 26 E							
	084°	9.9 NM	FL195 7900 ft MEA = 8000 ft	MOCA = 7900 ft	Even		± 5 NM	ACC Geneva REF: AIP France {C} (2)
△ GLEND	46 24 31 N 006 14 39 E							
	082°	18.2 NM	FL195 9199 ft MEA = 10000 ft	MOCA = 8100 ft	Even		± 5 NM	ACC Geneva REF: AIP France {C} (2)
△ MOLUS	46 26 38 N 006 40 46 E							
(2) within FIR Switzerland; outside REF: AIP France								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z50								
△ OLBEN	47 18 16 N 007 37 46 E							
	147°	7.9 NM	FL285 6500 ft MEA = 7000 ft	MOCA = 5600 ft	Odd		± 5 NM	ACC Zurich {C, D, E}
△ ROTOS	47 11 24 N 007 43 31 E							
	107°	9.4 NM	FL285 7500 ft MEA = 8000 ft	MOCA = 5000 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ BERSU	47 08 08 N 007 56 29 E							
	100°	19.9 NM	FL285 11500 ft MEA = 12000 ft	MOCA = 7500 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ URIGI	47 03 32 N 008 24 49 E							
	101°	5.0 NM	FL285 11500 ft MEA = 12000 ft	MOCA = 7700 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ GERSA	47 02 22 N 008 31 56 E							
	115°	10.7 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 9900ft	Odd		± 5 NM	ACC Zurich {C}
△ KELIP	46 57 22 N 008 45 42 E							
	115° 295°	8.5 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ SOPER	46 53 22 N 008 56 40 E							
	115° 296°	36.7 NM	FL660 15500 ft MEA = 16000 ft	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ PELAD	46 35 56 N 009 43 33 E							
	116° 296°	15.0 NM	FL660 15500 ft MEA = 16000 ft	MOCA = 13200 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ RESIA (FIR/UIR BDRY)	46 28 42 N 010 02 36 E							
BERSU - GERSA: CDR 1 H24 KELIP - RESIA: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z57								
△ LAMUR	46 34 47 N 007 13 53 E							
	038°	16.3 NM	FL660 FL155 MEA = FL160	MOCA = 9400 ft	Even		± 5 NM	ACC Geneva {C}
△ GUDAX	46 47 05 N 007 29 25 E							
	048°	27.6 NM	FL660 FL115 MEA = FL120	MOCA = 7400 ft	Even		± 5 NM	ACC Zurich {C}
△ DOPIL	47 04 12 N 008 01 00 E							
LAMUR - DOPIL: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z58								
△ BERSU	47 08 08 N 007 56 29 E							
	028°	38.9 NM	FL660 7500 ft MEA = 8000 ft	MOCA = 4300 ft	Even		± 5 NM	ACC Zurich {C, E}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							

Route Designer	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z59								
△ KONOL	46 59 43 N 007 40 51 E							
	316°	24.9 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 5900 ft	Even		± 5 NM	ACC Zurich {C, D, E}
△ BALIR	47 18 30 N 007 16 53 E							
	316°	7.9 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5700 ft	Even		± 5 NM	ACC Zurich {C, D, E}
△ LUMEL	47 24 26 N 007 09 14 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
Z60									
△ AMRID	46 56 05 N 007 19 33 E								
	201°	10.3 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 5900 ft	Odd		± 5 NM	ACC Geneva {C, D, E}	
△ FRIBU	46 46 39 N 007 13 25 E								
	247°	20.7 NM	FL660 7600 ft MEA = 8000 ft	MOCA = 7600 ft	Even		± 5 NM	ACC Geneva {C, E}	
△ VADAR	46 39 26 N 006 45 13 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z61								
△ SOSAL	46 33 29 N 006 53 04 E							
	044°	19.2 NM	FL660 8000 ft MEA = 8000 ft	MOCA = 8000 ft	Even		± 5 NM	ACC Geneva {C, E}
△ FRIBU	46 46 39 N 007 13 25 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑		MEA	MOCA	↓	↑		
Z62								
△ DEREM	46 21 24 N 006 10 34 E							
	087°	4.5 NM	FL195 7000 ft MEA = 8000 ft	MOCA = 6400 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ NAMEL	46 21 28 N 006 17 00 E							
	087°	10.3 NM	FL195 9500 ft MEA = 10000 ft	MOCA = 6200 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ TINAM	46 21 36 N 006 31 50 E							
	049°	8.0 NM	FL195 9500 ft MEA = 10000 ft	MOCA = 9100 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ MOLUS	46 26 38 N 006 40 46 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z63								
△ KONIL	46 34 06 N 006 27 30 E							
	089°	17.7 NM	FL500 7500 ft MEA = 8000 ft	MOCA = 7400 FT	Odd		± 5 NM	ACC Geneva {C, E}
△ SOSAL	46 33 29 N 006 53 04 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z64								
△ LIRKO	46 34 15 N 005 48 52 E							
	100°	27 NM	FL500 FL115 MEA = FL120	MOCA = 6800 FT	Odd		± 5 NM	ACC Geneva {C}
△ SAPRE	46 28 07 N 006 26 53 E							
	097° 277°	10 NM	FL500 FL095 MEA = FL100	MOCA = 8100 FT	Odd	Even	± 5 NM	ACC Geneva {C}
△ MOLUS	46 26 38 N 006 40 46 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z65								
△ SAPRE	46 28 07 N 006 26 53 E							
	244° 064°	9.2 NM	FL500 6500 ft <i>MEA = 7000 ft</i>	<i>MOCA = 5500 ft</i>	Odd	Even	± 5 NM	ACC Geneva {C}
△ GLEND	46 24 31 N 006 14 39 E							
	247°	16.4 NM	FL500 7900 ft <i>MEA = 8000 ft</i>	<i>MOCA = 7900 ft</i>	Odd		± 5 NM	ACC Geneva REF: AIP France {C}
△ MILPA	46 18 09 N 005 52 47 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑		MEA	MOCA	↓	↑		
Z67								
△ VENAT		46 14 39 N 006 35 48 E						
	053°	33.2 NM	FL500 15500 ft MEA = 16000 ft	MOCA = 9700 ft	Even		± 5 NM	ACC Geneva REF: AIP France {C}
△ LAMUR		46 34 47 N 007 13 53 E						
	022°	17.9 NM	FL500 15500 ft MEA = 16000 ft	MOCA = 9100 ft	Even		± 5 NM	ACC Geneva {C}
△ KORED		46 51 02 N 007 24 51 E						
VENAT - KORED: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z69								
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	232°	40.2 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 5700 ft	Odd		± 5 NM	ACC Zurich {C}
△ OLBEN	47 18 16 N 007 37 46 E							
TRA - OLBEN: CDR 1 H24 By ATC: Alternative route via Z669								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z83								
△ DETRI	46 36 22 N 008 48 54 E							
	108° 289°	20.5 NM	FL195 FL155 MEA = FL160	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ ULGOD	46 28 55 N 009 16 31 E							
	100° 280°	7.9 NM	FL195 FL155 MEA = FL160	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C, D}
△ ROSGO	46 27 10 N 009 27 41 E							
	073° 253°	13.1 NM	FL195 FL155 MEA = FL160	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ GUGSA	46 30 23 N 009 46 00 E							
DETRI - GUGSA: Only by ATC								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑	(COP)	MEA	MOCA	↓	↑		
Z90								
△ Hochwald DME (HOC)	47 28 00 N 007 39 56 E							
	147° 328°	19.9 NM	FL095 6500 ft MEA = 7000 ft	MOCA = 5100 ft	Odd	Even	± 5 NM	ACC Zurich {D, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
Z119								
△ ESEVA	46 48 08 N 007 00 53 E							
	277°	8.7 NM	FL245 FL105 MEA = FL110	MOCA = 6200 ft		Odd	± 5 NM	ACC Geneva {C}
△ FRIBU	46 46 39 N 007 13 25 E							
	097° 277°	2.0 NM	FL245 FL105 MEA = FL110	MOCA = 7400 ft	Even	Odd	± 5 NM	ACC Geneva {C}
△ TELNO	46 46 19 N 007 16 15 E							
	097° 277°	30.1 NM	FL245 FL155 MEA = FL160	MOCA = 13700 ft	Even	Odd	± 5 NM	ACC Geneva ACC Zurich {C}
△ MONIN	46 41 03 N 007 59 18 E							
	097° 278°	25.5 NM	FL245 FL165 MEA = FL170	MOCA = 14900 ft	Even	Odd	± 5 NM	ACC Zurich {C}
△ SOSON	46 36 24 N 008 35 39 E							
	087° 267°	9.1 NM	FL245 FL155 MEA = FL160	MOCA = 12600 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ DETRI	46 36 22 N 008 48 54 E							
	087° 267°	6.9 NM	FL245 FL155 MEA = FL160	MOCA = 12700 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ PIXOS	46 36 19 N 008 58 59 E							
	087° 268°	30.7 NM	FL245 FL155 MEA = FL160	MOCA = 13300 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ PELAD	46 35 56 N 009 43 33 E							
	061° 241°	18.5 NM	FL245 FL155 MEA = FL160	MOCA = 13400 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ ARDED	46 44 07 N 010 07 40 E							
	061° 241°	6.0 NM	FL245 FL155 MEA = FL160	MOCA = 13400 ft	Odd	Even	± 5 NM	ACC Zurich {C}
△ RONAG	46 46 46 N 010 15 32 E							
	359° 179°	21.5 NM	FL245 FL155 MEA = FL160	MOCA = 13400 ft	Odd	Even	± 5 NM	ACC Zurich / ACC Munich REF: AIP Austria {C}
△ KUSAM	47 08 14 N 010 16 55 E							
TELNO - SOSON: CDR 1 H24 DETRI - KUSAM: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z138								
△ KESEX	47 14 05 N 008 43 00 E							
	036°	16.1 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5600 ft	Even		± 5 NM	ACC Zurich {C}
△ KUDIS	47 26 28 N 008 58 01 E							
	097°	9.7 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5700 ft	Odd		± 5 NM	ACC Zurich {C}
△ DEGES	47 24 45 N 009 12 07 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z141								
△ MEBOX		47 05 10 N 007 36 33 E						
	075°	13.9 NM	FL195 5500 ft MEA = 6000 ft	MOCA = 4800 ft	Even		± 5 NM	ACC Zurich above FL105 APP Bern below FL105 {C, E}
△ BERSU		47 08 08 N 007 56 29 E						
	005°	39.0 NM	FL245 6500 ft MEA = 7000 ft	MOCA = 5500 ft	Even		± 5 NM	ACC Zurich REF: AIP Germany {C, E}
△ AMRUP		47 46 45 N 008 04 37 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
Z142								
△ RAMOK		47 01 20 N 007 41 03 E						
	318°	4.9 NM	FL195 5500 ft MEA = 6000 ft	MOCA = 5000 ft	Even		± 5 NM	ACC Zurich above FL105 APP Bern below FL105 {C, D, E}
△ MEBOX		47 05 10 N 007 36 33 E						
	312°	18.9 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 6000 ft	Even		± 5 NM	ACC Zurich above FL105 APP Bern below FL105 {C, D, E}
△ BALIR		47 18 30 N 007 16 53 E						

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑		MEA	MOCA	↓	↑		
Z143								
△ RAMOK	47 01 20 N 007 41 03 E							
	054°	12.5 NM	FL195 <u>5500 ft</u> <i>MEA = 6000 ft</i>	<i>MOCA = 5200 ft</i>	Even		± 5 NM	ACC Zurich above FL105 APP Bern below FL105 {C, D, E}
△ BERSU	47 08 08 N 007 56 29 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z144								
△ AMRID	46 56 05 N 007 19 33 E							
	235°	15.1 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Geneva {C, D, E}
△ ESEVA	46 48 08 N 007 00 53 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z162								
△ ROLSA	47 17 23 N 008 53 21 E							
	348°	18.4 NM	FL660 <u>8500 ft</u> <i>MEA = 9000 ft</i>	<i>MOCA = 5500 ft</i>	Even		± 5 NM	ACC Zurich {C}
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z163								
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E							
	087°	25.7 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 4200 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ BODAN	47 35 15 N 009 27 05 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑		MEA		↓	↑		
Z170								
△ ARGAX		47 03 00 N 009 17 53 E						
	327°	27.1 NM	FL660 10500 ft MEA = 11000 ft	MOCA = 10000 ft	Even		± 5 NM	ACC Zurich {C, E}
△ KUDIS		47 26 28 N 008 58 01 E						
	349°	20.8 NM	FL660 FL245		Even		± 5 NM	ACC Zurich {C}
△ SONOM (UIR BDRY)		47 47 03 N 008 53 46 E						
ARGAX - KUDIS: CDR 1 H24								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist	Upper and Lower limits	Lateral limits	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑	(COP)	MEA	MOCA	↓	↑		
Z408								
△ TIRUL	47 03 26 N 010 31 43 E							
	210°	20.0 NM	FL195 15800 ft MEA = 16000 ft	MOCA = 13000 ft	Odd		± 5 NM	ACC Munich / ACC Zurich REF: AIP Austria {C} (2)
△ RONAG	46 46 46 N 010 15 32 E							
TIRUL - RONAG: CDR 1 H24 (2) Class D within FIR VIENNA								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z424								
△ DEGAD	46 26 10 N 008 37 06 E							
	209°	11.5 NM	FL660 17500 ft MEA = 18000 ft	MOCA = 12300 ft	Odd		± 5 NM	ACC Zurich {C}
△ BASGO	46 16 23 N 008 28 20 E							
	172°	9.9 NM	FL305 17500 ft MEA = 18000 ft	MOCA = 11000 ft	Odd		± 5 NM	ACC Zurich ACC Milano REF: AIP Italy {C, D}
▲ AKASU	46 06 35 N 008 29 44 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z600								
Willisau △ DVOR/DME 47 10 42 N 007 54 21 E (WIL)								
	291° 111°	24.2 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5800 ft	Even	Odd	± 5 NM	{C, D, E}
△ LEPLA 47 20 36 N 007 21 58 E								
	291° 111°	9.5 NM	FL195 6500 ft MEA = 7000 ft	MOCA = 5700 ft	Even	Odd	± 5 NM	{C, D, E}
△ LUMEL 47 24 26 N 007 09 14 E								
	296° 116°	19.5 NM	FL195 8500 ft MEA = 9000 ft	MOCA = 4300 ft	Even	Odd	± 5 NM	APP Bâle REF: AIP France {C, D, E}
▲ Hericourt NDB (HR) 47 33 42 N 006 43 56 E								

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
Z601								
△ ROTOS	47 11 24 N 007 43 31 E							
	092° 272°	7.4 NM	FL195 7500 ft MEA = 8000 ft	MOCA = 5000 ft	Even	Odd	± 5 NM	APP Bern ACC Zurich {C, E}
Willisau △ DVOR/DME (WIL)	47 10 42 N 007 54 21 E							
	013° 193°	20.4 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 5000 ft	Odd	Even	± 5 NM	APP Bern ACC Zurich {C, E}
△ GIPOL	47 30 19 N 008 02 27 E							
	052° 233°	19.5 NM	FL095 7500 ft MEA = 8000 ft	MOCA = 4600 ft	Odd	Even	± 5 NM	ACC Zurich {C, E}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	108° 288°	16.5 NM	FL095 5500 ft MEA = 6000 ft	MOCA = 4800 ft	Odd	Even	± 5 NM	APP Zurich {C, E}
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E							
	087° 268°	25.7 NM	FL095 5500 ft MEA = 6000 ft	MOCA = 4300 ft	Odd	Even	± 5 NM	APP Zurich {C, E}
△ BODAN (FIR BDRY)	47 35 15 N 009 27 05 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z651								
△ CANNE	46 10 00 N 008 52 52 E							
	351°	26.5 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 12600 ft	Even		± 5 NM	ACC Zurich {C}
△ DETRI	46 36 22 N 008 48 54 E							
	351°	21.1 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 13100 ft	Even		± 5 NM	ACC Zurich {C}
△ KELIP	46 57 22 N 008 45 42 E							
	351°	6.8 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 9900 ft	Even		± 5 NM	ACC Zurich {C}
△ MOSIT	47 04 09 N 008 44 38 E							
	351°	8.2 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 7900 ft	Even		± 5 NM	ACC Zurich {C}
△ MANEG	47 12 15 N 008 43 20 E							
	350°	1.9 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 4800 ft	Even		± 5 NM	ACC Zurich {C}
△ KESEX	47 14 05 N 008 43 00 E							
	008°	21.8 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 4800 ft	Even		± 5 NM	ACC Zurich {C}
Zurich East △ DVOR/DME (ZUE)	47 35 32 N 008 49 04 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z652								
△ KESEX	47 14 05 N 008 43 00 E							
	334°	29.6 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5600 ft	Even		± 5 NM	ACC Zurich {C, E}
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	338°	35.3 NM	FL245 7500 ft MEA = 8000 ft	MOCA = 5300 ft	Even		± 5 NM	ACC Zurich {C, E}
△ MOPAN	48 14 47 N 008 09 16 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates						Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ — ↑				↓	↑		
Z653								
△ KESEX	47 14 05 N 008 43 00 E							
	062°	7.8 NM	FL660 FL085 MEA = FL090	MOCA = 5500 ft	Even		± 5 NM	ACC Zurich {C, E}
△ ROLSA	47 17 23 N 008 53 21 E							

Route Designator	Route Remarks (Optional)							
Name of significant points	Significant point geographical coordinates							Significant Point Remarks
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}
	↓ ↑				↓	↑		
Z669								
△ Trasadingen DME (TRA)	47 41 22 N 008 26 13 E							
	221°	41.7 NM	FL660 13500 ft MEA = 14000 ft	MOCA = 4600 ft	Odd		± 5 NM	ACC Zurich {C}
△ ROTOS	47 11 24 N 007 43 31 E							
	229°	15.7 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 4500 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ BADEP	47 01 38 N 007 25 28 E							
	228°	6.9 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 4300 ft	Odd		± 5 NM	ACC Zurich {C, E}
△ ULMES	46 57 18 N 007 17 33 E							
	228°	14.7 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 4200 ft	Odd		± 5 NM	ACC Geneva {C, E}
△ ESEVA	46 48 08 N 007 00 53 E							
	228°	13.8 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 5000 ft	Odd		± 5 NM	ACC Geneva {C, E}
△ VADAR	46 39 26 N 006 45 13 E							
	238°	42.0 NM	FL660 9500 ft MEA = 10000 ft	MOCA = 7300 ft	Odd		± 5 NM	ACC Geneva REF: AIP France {C, E}
△ MILPA	46 18 09 N 005 52 47 E							

Route Designator	Route Remarks (Optional)								
Name of significant points	Significant point geographical coordinates							Significant Point Remarks	
Route Segment Navigation, RCP/RSP specification	Track MAG	Geodesic Dist (COP)	Upper and Lower limits MEA	Lateral limits MOCA	Direction of cruising levels		Navigation accuracy requirement	Remarks Controlling unit, operating channel, and logon address Navigation, RCP/RSP specification(s) limitations {Airspace Classification}	
	↓ — ↑				↓	↑			
Z671									
△ DITON	47 18 08 N 008 20 00 E								
	089°	22.7 NM	FL660 8500 ft MEA = 9000 ft	MOCA = 5400 ft	Even		± 5 NM	ACC Zurich {C, D}	
△ ROLSA	47 17 23 N 008 53 21 E								

THIS PAGE INTENTIONALLY LEFT BLANK